

CANADIAN JOURNAL OF EARTH SCIENCES
JOURNAL CANADIEN DES SCIENCES DE LA TERRE
VOLUME 15, 1978

AUTHOR INDEX/REPertoire DES AUTEURS*

- | | |
|---|---------------|
| Allis, R. G. The effect of Pleistocene climatic variations on the geothermal regime in Ontario; a reassessment | 11: 1875-1879 |
| Allison, I. Vein geometry and hydrostatics during Yellowknife mineralisation | 10: 1653-1660 |
| Andrews, J. T. A reconnaissance survey of late Quaternary sea levels, Bella Bella/Bella Coola region, central British Columbia coast | 3: 341-350 |
| Andriashek, L. D. Shear phenomena in ice-thrust gravels, central Alberta | 2: 277-283 |
| Archibald, D. A. Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories | 7: 1205-1207 |
| Arengi, J. T. A Huronian outlier in the Goulais River area, District of Algoma, Ontario | 9: 1535-1537 |
| Armstrong, R. L. Removal of atmospheric argon contamination and the use and misuse of the K-Ar isochron method [discussion and reply] | 2: 325-327 |
| Arndt, N. T. Iron-rich basaltic komatiites in the early Precambrian Vermilion District [discussion and reply] | 5: 856-859 |
| Babcock, E. A. Shear phenomena in ice-thrust gravels, central Alberta | 2: 277-283 |
| Barnes, N. E. Late Quaternary geological history of Mahone Bay, Nova Scotia | 4: 586-593 |
| Barrett, D. L. Geophysical measurements in the region of the Explorer Ridge off western Canada | 9: 1508-1525 |
| Batiza, R. Petrogenesis of spilite and keratophyre from a Permian and Triassic volcanic arc terrane, eastern Oregon and western Idaho, U.S.A. | 8: 1356-1369 |
| Beaumont, C. Tidal loading in Nova Scotia; results from improved ocean tide models | 6: 981-993 |
| Beland, P. Paleocology of Dinosaur Provincial Park (Cretaceous), Alberta, interpreted from the distribution of articulated vertebrate remains | 6: 1012-1024 |
| Bell, K. U-Pb ages of some crystalline rocks from the Burlington Peninsula, Newfoundland, and implications for the age of Fleur de Lys metamorphism [discussion and reply] | 7: 1208-1212 |
| Bird, J. M. The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle | 5: 781-804 |
| Birkett, T. C. Mineralogy and petrology of Quaternary lavas from the Snake River plain, Idaho [discussion and reply] | 5: 859-862 |
| Bland, C. J. Examples of the variability of disequilibrium and the emanation factor in some uraniferous materials | 11: 1867-1871 |
| Blenkinsop, J. U-Pb ages of some crystalline rocks from the Burlington Peninsula, Newfoundland, and implications for the age of Fleur de Lys metamorphism [discussion and reply] | 7: 1208-1212 |

*Prepared from the GeoRef data base, at the American Geological Institute, 5205 Leesburg Pike, Falls Church, VA 22041, U.S.A.

- Bone, M. N.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- Boutillier, R.** Tidal loading in Nova Scotia; results from improved ocean tide models 6: 981-993
- Bower, D. R.** Response of an aquifer near Ottawa to tidal forcing and the Alaskan earthquake of 1964 3: 331-340
- Brew, D. A.** Megalineament in southeastern Alaska marks southwest edge of Coast Range batholithic complex 11: 1763-1772
- Bridgwater, D.** A 1550 ± 60 Ma Rb-Sr whole-rock isochron age from two Kangamiut dykes and the timing of the Nagssugtoqidian (Hudsonian) Orogeny in West Greenland 7: 1122-1128
- Broadhead, T. W.** The Ordovician cystoid, *Amecystis cordiformis* Sinclair 1: 173-174
- Brooks, C.** Iron-rich basaltic komatiites in the early Precambrian Vermilion District [discussion and reply] 5: 856-859
- Brooks, C.** A slice of basement in the western margin of the Appalachian Orogen, Saint-Malachie, Quebec 8: 1242-1249
- Brown, R. L.** Stratigraphy, facies changes, and correlations in the northern Selkirk Mountains, southern Canadian Cordillera 7: 1129-1140
- Brownlow, A. H.** The structural and metamorphic history of the Taconic unconformity in western Massachusetts 12: 1941-1953
- Bruns, T. R.** Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska 5: 805-816
- Buchan, K. L.** Magnetic overprinting in the Thanet gabbro complex, Ontario 9: 1407-1421
- Buckley, D. E.** Computer simulation and sedimentological implications of burrowing by *Axiu serratus* 8: 1370-1374
- Callahan, W. H.** Cornwallis lead-zinc district; mississippi valley-type deposits controlled by stratigraphy and tectonics [discussion and reply] 3: 459-460
- Carmichael, C. M.** Paleomagnetism of some late Precambrian and lower Paleozoic sediments from l'Adrar de Mauritanie, West Africa 2: 253-262
- Carmichael, C. M.** Removal of atmospheric argon contamination and the use and misuse of the K-Ar isochron method [discussion and reply] 2: 325-327
- Cawthorn, R. G.** The petrology of the Tilting Harbour igneous complex, Fogo Island, Newfoundland 4: 526-539
- Church, B. N.** Shaskanite and related analcite-bearing lavas in British Columbia 10: 1669-1672
- Church, M.** Sediment and nutrient loadings to Lake Ontario; methodological arguments [discussion and reply] 4: 668-671
- Church, M.** On the statistics of grain size variation along a gravel river 7: 1151-1160
- Church, W. R.** Geological and geochronological relationships of the Thompson nickel belt, Manitoba [discussion and reply] 8: 1381-1384
- Church, W. R.** The ophiolites of southern Quebec; oceanic crust of Betts Cove type [discussion and reply] 11: 1880-1883
- Churche, C. S.** Late Pleistocene Camelops from the Gallelli Pit, Calgary, Alberta; morphology and geologic setting 5: 729-740
- Clark, A. H.** Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories 7: 1205-1207

- Clark, M. J.** Rock and paleomagnetic evidence for the existence and nature of a Cayman Trough spreading center 12: 1930-1940
- Clark, T.** Oxide minerals in the Turnagain ultramafic complex, northwestern British Columbia 12: 1893-1903
- Clarke, A. H.** Asian freshwater mollusks from Pleistocene deposits in the Old Crow Basin, Yukon Territory 1: 45-51
- Clarke, D. B.** Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data 5: 773-780
- Clarke, G. K. C.** Hot water drilling in a cold glacier 2: 316-321
- Clay, W.** $^{40}\text{Ar}/^{39}\text{Ar}$ dating of dikes from the Frontenac Axis and implications for Grenville paleomagnetism 11: 1826-1832
- Collins, D.** A coiled nautiloid preserved in life orientation from the Middle Ordovician of Ontario 10: 1661-1664
- Copper, P.** Paleocological succession leading to a Late Ordovician biostrome on Manitoulin Island, Ontario 12: 1987-2001
- Copper, P.** Morphology and paleoecology of Ordovician tetradiid corals from the Manitoulin District, northern Ontario 12: 2006-2020
- Cousineau, P.** Structure and organization of Archean subaqueous basalt flows, Rouyn-Noranda area, Quebec, Canada 6: 902-918
- Cowan, W. R.** Trend surface analysis of major late Wisconsinan till sheets, Brantford-Woodstock area, southern Ontario 6: 1025-1036
- Cowan, W. R.** Radiocarbon dating of Nipissing Great Lakes events near Sault Ste. Marie, Ontario 12: 2026-2030
- Crampton, C. B.** The distribution and thickness of icy permafrost in northeastern British Columbia 4: 655-659
- Cranstone, D. A.** Geological and geochronological relationships of the Thompson nickel belt, Manitoba [discussion and reply] 8: 1381-1384
- Craw, D.** Metamorphism, structure and stratigraphy in the southern Park Ranges, British Columbia 1: 86-98
- Craw, D.** Metamorphism, structure, and stratigraphy in the southern Park Ranges, British Columbia [discussion and reply] 12: 2034-2038
- Crockett, K. J.** Distribution and characteristics of rock glaciers in the southern part of Jasper National Park, Alberta 4: 540-550
- Cruden, D.** Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes 10: 1598-1604
- Currie, K. L.** The Gander Lake and Davidsville groups of northeastern Newfoundland; a re-examination 5: 708-714
- Cutforth, C.** A demonstration of the interdependence of the degree of quartz preferred orientation and the quartz content of deformed rocks 5: 841-847
- Dallmeyer, R. D.** $^{40}\text{Ar}/^{39}\text{Ar}$ incremental-release ages of hornblende and biotite from Grenville basement rocks within the Indian Head Range Complex, Southwest Newfoundland; their bearing on late Proterozoic-early Paleozoic thermal history 8: 1374-1379
- Darling, R.** Major and minor element lithogeochemical anomalies surrounding the Louvem copper deposit, Val d'Or, Quebec 7: 1161-1169

- Davies, J. F.** Structural interpretation of the Timmins mining area [discussion and reply] 5: 854-855
- Davis, E. E.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- Dawson, E.** An analytical representation of the geomagnetic field in Canada for 1975; Part II, The secular change 2: 237-244
- Dawson, E.** An analytical representation of the geomagnetic field in Canada for 1975; Part III, The north magnetic pole 6: 994-1001
- Dawson, K. R.** A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia 9: 1391-1406
- Delorme, L. D.** Freshwater shelled invertebrate indicators of paleoclimate in northwestern Canada during late glacial times [discussion and reply] 3: 461-463
- Demarcke, J.** Petrography and mechanism of eruption of the Archean Dalember Tuff, Rouyn-Noranda, Quebec, Canada 11: 1712-1723
- Dewey, J. F.** The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle 5: 781-804
- Dickson, W. L.** Geochemistry of Paleozoic granitoid plutons from contrasting tectonic zones of Northeast Newfoundland 1: 145-156
- Dimroth, E.** The anatomy and interpretation of an Archean volcanoclastic sequence, Noranda region, Quebec 6: 874-888
- Dimroth, E.** Structure and organization of Archean subaqueous basalt flows, Rouyn-Noranda area, Quebec, Canada 6: 902-918
- Dimroth, E.** Petrography and mechanism of eruption of the Archean Dalember Tuff, Rouyn-Noranda, Quebec, Canada 11: 1712-1723
- Divakara Rao, V.** The petrochemistry and geologic implications of conglomerates from Archaean geosynclinal piles of southern India 7: 1085-1100
- Dreimanis, A.** Trace fossils from late Pleistocene glacial lake sediments in southwestern Ontario, Canada 12: 1967-1976
- Drury, M. J.** Frequency spectrum of the electrical properties of seawater-saturated ocean crust and oceanic island basalts 9: 1489-1495
- Dubois, J.** The troughs at the rear of the New Hebrides island arc; possible mechanisms of formation 3: 351-360
- Duford, J. M.** Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia 6: 865-873
- Dugas, F.** The troughs at the rear of the New Hebrides island arc; possible mechanisms of formation 3: 351-360
- Dumala, R.** The geomorphology and origin of Point Pelee, southwestern Ontario 6: 963-970
- Dunlop, D. J.** Grenville paleomagnetism and tectonics 5: 687-695
- Dykes, L. S.** A coring and squeezing technique for the detailed study of subsurface water chemistry 1: 162-169
- Edgar, A. D.** The petrogenesis and origin of the analcime in the volcanic rocks of the Crowsnest Formation, Alberta 1: 69-77
- Emslie, R. F.** Elsonian magmatism in Labrador; age, characteristics and tectonic setting 3: 438-453

- England, J.** The glacial geology of northeastern Ellesmere Island, N.W.T., Canada 4: 603-617
- Ermanovics, I. F.** Tectonic evolution of two greenstone belts from the Superior Province in Manitoba 11: 1808-1816
- Ermanovics, I. F.** Diapiric structures and regional compression in an Archean greenstone belt, Island Lake, Manitoba 11: 1817-1825
- Evans, M. E.** Plate tectonics in the Phanerozoic 6: 919-955
- Evans, M. E.** Compositional variability of Glacier Peak tephra and its stratigraphic significance 10: 1554-1567
- van Everdingen, R. O.** Frost mounds at Bear Rock, near Fort Norman, Northwest Territories, 1975-1976 2: 263-276
- Ewers, R. O.** The development of limestone cave systems in the dimensions of length and depth 11: 1783-1798
- Fader, G. B.** A side-scan sonar mosaic of pockmarks on the Scotian Shelf 5: 831-840
- Fahrig, W. F.** Paleomagnetism and age of the Aston dykes and Savage Point sills of the Boothia Uplift, Canada 10: 1605-1612
- Falconer, R. K. H.** Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data 5: 773-780
- Farley-Gill, L. D.** A Late-Quaternary pollen profile from Woodstock, Ontario 7: 1101-1111
- Farmer, J. G.** The determination of sedimentation rates in Lake Ontario using the ^{210}Pb dating method 3: 431-437
- Farrar, E.** Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories 7: 1205-1207
- Fenton, M. M.** Shear phenomena in ice-thrust gravels, central Alberta 2: 277-283
- Ferguson, L. J.** The petrogenesis and origin of the analcime in the volcanic rocks of the Crowsnest Formation, Alberta 1: 69-77
- Fisher, T. L.** The sulfur content of Archean volcanic rocks and a comparison with ocean floor basalts 5: 715-728
- Fitzgerald, G. R.** Pleistocene grebes from the Old Crow Basin, Yukon Territory 12: 1887-1892
- Forbes, W. H.** A trace fossil preserving its producer (*Trentonia shegiriana*) from the Trenton Limestone of the Quebec City area 4: 659-664
- Ford, A. B.** Megalineament in southeastern Alaska marks southwest edge of Coast Range batholithic complex 11: 1763-1772
- Ford, D. C.** The development of limestone cave systems in the dimensions of length and depth 11: 1783-1798
- Frape, S. K.** A coring and squeezing technique for the detailed study of subsurface water chemistry 1: 162-169
- Fulton, R. J.** Late Pleistocene stratigraphy of South-central British Columbia 6: 971-980
- Fyson, W. K.** Diapiric structures and regional compression in an Archean greenstone belt, Island Lake, Manitoba 11: 1817-1825
- Gadd, N. R.** Mass flow deposits in a Quaternary succession near Ottawa, Canada; diagnostic criteria for subaqueous outwash [discussion and reply] 2: 327-330
- Gardner, J.** Wenchemna Glacier; ablation complex and rock glacier in the Canadian Rocky Mountains 7: 1200-1204

- Gelinas, L.** Emplacement of Archean peridotitic komatiites in La Motte Township, Quebec 4: 672-677
- Ghent, E. D.** A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia 9: 1391-1406
- Gibbard, P. L.** Trace fossils from late Pleistocene glacial lake sediments in southwestern Ontario, Canada 12: 1967-1976
- Gibling, M. R.** The Somerset Island Formation; an Upper Silurian to ?Lower Devonian intertidal/supratidal succession, Boothia Uplift region, Arctic Canada 2: 181-189
- Gibling, M. R.** Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada 9: 1448-1461
- Goldie, R.** Magma mixing in the Flavrian Pluton, Noranda area, Quebec 1: 132-144
- Goodfellow, W. D.** Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada 2: 207-219
- Goodfellow, W. D.** Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada [discussion and reply] 10: 1680-1683
- Goodwin, A. M.** The sulfur content of Archean volcanic rocks and a comparison with ocean floor basalts 5: 715-728
- Grawbarger, D. J.** Paleocological succession leading to a Late Ordovician biostrome on Manitoulin Island, Ontario 12: 1987-2001
- Gray, N. H.** Crystal growth and nucleation in flash-injected diabase dikes 12: 1904-1923
- Green, A. G.** A sub-critical seismic crustal reflection survey over the Aulneau Batholith, Kenora region, Ontario 2: 301-315
- Green, J. C.** Iron-rich basaltic komatiites in the early Precambrian Vermilion District [discussion and reply] 5: 856-859
- Grunsky, E. C.** A Huronian outlier in the Goulais River area, District of Algoma, Ontario 9: 1535-1537
- Hackbarth, D. A.** Groundwater temperatures in the Athabasca oil sands area, Alberta 11: 1689-1700
- Hall, D. H.** A sub-critical seismic crustal reflection survey over the Aulneau Batholith, Kenora region, Ontario 2: 301-315
- Hall, J. M.** Rock and paleomagnetic evidence for the existence and nature of a Cayman Trough spreading center 12: 1930-1940
- Halls, H. C.** The structural relationship between Archean granite-greenstone terrains and late Archean mafic dikes 10: 1665-1668
- Harington, C. R.** Asian freshwater mollusks from Pleistocene deposits in the Old Crow Basin, Yukon Territory 1: 45-51
- Harington, C. R.** A tooth of *Mammuthus primigenius* from Chestermere Lake near Calgary, Alberta, and the distribution of mammoths in southwestern Canada 8: 1272-1283
- Hasegawa, H. S.** The seismotectonics of southern Saskatchewan 8: 1341-1355
- Havskov, J.** Plate tectonics in the Phanerozoic 6: 919-955
- Haworth, R. T.** Geophysical study of basement fractures on the western European and eastern Canadian shelves; transatlantic correlations, and late Hercynian movements 3: 397-404

- Hayatsu, A.** Removal of atmospheric argon contamination and the use and misuse of the K-Ar isochron method [discussion and reply] 2: 325-327
- Haynes, J.** Framboids in Champlain Sea sediments 3: 464-465
- Heaton, K. C.** Response of an aquifer near Ottawa to tidal forcing and the Alaskan earthquake of 1964 3: 331-340
- Helmstaedt, H.** Zoned epidote nodules from sedimentary rocks of the Eastport Formation, Southwest New Brunswick 7: 1194-1200
- Helmstaedt, H.** Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada [discussion and reply] 10: 1680-1683
- Hendry, H. E.** Cap des Rosiers Formation at Grosses Roches, Quebec; deposits of the mid-fan region on an Ordovician submarine fan 9: 1472-1488
- Herd, R. K.** Diapiric structures and regional compression in an Archean greenstone belt, Island Lake, Manitoba 11: 1817-1825
- Heusser, C. J.** Palynology of Quaternary deposits of the lower Bogachiel River area, Olympic Peninsula, Washington 10: 1568-1578
- Hickin, E. J.** Mean flow structure in meanders of the Squamish River, British Columbia 11: 1833-1849
- Higgs, R.** Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins 11: 1850-1860
- Hiscott, R. N.** Provenance of Ordovician deep-water sandstones, Tourelle Formation, Quebec, and implications for initiation of the Taconic Orogeny 10: 1579-1597
- Hofmann, H. J.** New stromatolites from the Apebian Mistassini Group, Quebec 4: 571-585
- Horner, R. B.** The seismotectonics of southern Saskatchewan 8: 1341-1355
- Hubert, C.** A slice of basement in the western margin of the Appalachian Orogen, Saint-Malachie, Quebec 8: 1242-1249
- Hudson, T.** Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska 5: 805-816
- Hussain, S. M.** The petrochemistry and geologic implications of conglomerates from Archaean geosynclinal piles of southern India 7: 1085-1100
- Hyndman, R. D.** Seismicity of western Canada 7: 1170-1193
- Hyndman, R. D.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- Hynes, A.** Early recumbent folds in the northeastern part of the northern Labrador Trough 2: 245-252
- Irving, E.** Multicomponent magnetization of the Pearson Formation (Great Slave Supergroup, N.W.T.) and the Coronation Loop 4: 642-654
- Jackson, M. R.** Anomalous Li in Keweenaw rhyolites, Ontario 12: 2031-2033
- Jansa, L. F.** Visean limestones from the Newfoundland shelf 9: 1422-1436
- Jayasinghe, N. R.** Devonian alkalic basalt dikes of northeastern Newfoundland; evidence of a tensional environment 5: 848-853
- Johnson, P. G.** Rock glacier types and their drainage systems, Grizzly Creek, Yukon Territory 9: 1496-1507
- Jones, B.** Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada 9: 1448-1461

- Jones, D. L.** Paleomagnetism and age of the Aston dykes and Savage Point sills of the Boothia Uplift, Canada 10: 1605-1612
- Jones, F. W.** The thermal regime of the descending lithosphere; the effect of varying angle and rate of subduction 4: 626-641
- Josenhans, H. W.** A side-scan sonar mosaic of pockmarks on the Scotian Shelf 5: 831-840
- Kalas, L. L.** Freshwater shelled invertebrate indicators of paleoclimate in northwestern Canada during late glacial times [discussion and reply] 3: 461-463
- Kalsbeek, F.** A 1950 ± 60 Ma Rb-Sr whole-rock isochron age from two Kangamiut dykes and the timing of the Nagssugtoqidian (Hudsonian) Orogeny in West Greenland 7: 1122-1128
- Kalsbeek, F.** Dating of igneous and metamorphic events in the Fiskenaeset region of southern West Greenland 12: 2021-2025
- Kanasewich, E. R.** Plate tectonics in the Phanerozoic 6: 919-955
- Karvinen, W. O.** Structural interpretation of the Timmins mining area [discussion and reply] 5: 854-855
- Keen, C. E.** On the nature of the crust in the vicinity of the Southeast Newfoundland Ridge 9: 1462-1471
- Kelker, D.** Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes 10: 1598-1604
- Kellerhals, R.** On the statistics of grain size variation along a gravel river 7: 1151-1160
- Kendall, A. C.** The age of metasomatic anhydrite in Mississippian reservoir carbonates, southeastern Saskatchewan 3: 424-430
- Kerr, J. W.** The Somerset Island Formation; an Upper Silurian to ?Lower Devonian intertidal/supratidal succession, Boothia Uplift region, Arctic Canada 2: 181-189
- Kerr, J. W.** Cornwallis lead-zinc district; mississippi valley-type deposits controlled by stratigraphy and tectonics [discussion and reply] 3: 459-460
- Kerrick, R.** Vein geometry and hydrostatics during Yellowknife mineralisation 10: 1653-1660
- Kidd, W. S. F.** The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle 5: 781-804
- King, L. H.** A side-scan sonar mosaic of pockmarks on the Scotian Shelf 5: 831-840
- Kish, L.** Determination of radioactive disequilibrium in uranium-bearing rocks 1: 33-44
- Klassen, R. W.** A unique stratigraphic record of late Tertiary-Quaternary events in southeastern Yukon 11: 1884-1886
- Kobluk, D. R.** Oldest known brachiopod burrow; the Lower Cambrian of Labrador 8: 1385-1389
- Koehler, S. W.** The late Precambrian mafic dikes of the southern Tobacco Root Mountains, Montana; geochemistry, Rb-Sr geochronology and relationship to Belt tectonics 4: 467-479
- Koziar, A.** Permafrost mapping by audiofrequency magnetotellurics 10: 1539-1546
- Koziar, A.** Shallow crustal sounding in the Superior Province by audio frequency magnetotellurics 11: 1701-1711
- Krause, D. W.** Paleocene primates from western Canada 8: 1250-1271
- Krouse, H. R.** A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia 9: 1391-1406

- Kull, R. K.** Fore-reef carbonate mud bioherms and associated reef margin, Upper Devonian, Ancient Wall reef complex, Alberta 8: 1304-1325
- Lajoie, J.** Emplacement of Archean peridotitic komatiites in La Motte Township, Quebec 4: 672-677
- Lajoie, J.** The anatomy and interpretation of an Archean volcanoclastic sequence, Noranda region, Quebec 6: 874-888
- Lambert, R. St. J.** The thermal regime of the descending lithosphere; the effect of varying angle and rate of subduction 4: 626-641
- Lane, L. S.** Stratigraphy, facies changes, and correlations in the northern Selkirk Mountains, southern Canadian Cordillera 7: 1129-1140
- Lanphere, M. A.** Displacement history of the Denali fault system, Alaska and Canada 5: 817-822
- Lapouille, A.** The troughs at the rear of the New Hebrides island arc; possible mechanisms of formation 3: 351-360
- Laurent, R.** The ophiolites of southern Quebec; oceanic crust of Betts Cove type [discussion and reply] 11: 1880-1883
- Lebel, J.** Determination du bore inorganique dans l'Estuaire du Saint-Laurent 4: 618-625
- Leduc, M.** Structure and organization of Archean subaqueous basalt flows, Rouyn-Noranda area, Quebec, Canada 6: 902-918
- Lefort, J. P.** Geophysical study of basement fractures on the western European and eastern Canadian shelves; transatlantic correlations, and late Hercynian movements 3: 397-404
- Lemieux, J.** Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada 9: 1448-1461
- Lenz, A. C.** A new Silurian astylospongid sponge from Baillie-Hamilton Island, Canadian Arctic Archipelago 1: 157-162
- Leshner, C. M.** Mineralogy and petrology of the Sokoman Iron Formation near Ardua Lake, Quebec 4: 480-500
- Lesperance, P. J.** The occurrence of the Ordovician brachiopod *Foliomena* at Perce, Quebec 3: 454-458
- Levinson, A. A.** Examples of the variability of disequilibrium and the emanation factor in some uraniferous materials 11: 1867-1871
- Lewis, T.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- Leyreloup, A.** Petrologie des niveaux trondhjemitiques de haute pression associes aux eclogites et amphibolites des complexes leptyno-amphiboliques du Massif Central francais 5: 696-707
- Lister, C. R. B.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- Little, H. W.** The Triassic unconformity of South-central British Columbia [discussion and reply] 2: 322-324
- Loeken, O. H.** Postglacial tilting of Akpatok Island, Northwest Territories 10: 1547-1553
- Long, D. G. F.** Depositional environments of a thick Proterozoic sandstone; the (Huronian) Mississagi Formation of Ontario, Canada 2: 190-206
- Loring, D. H.** Geochemistry of zinc, copper and lead in the sediments of the estuary and Gulf of St. Lawrence 5: 757-772

- Loring, D. H.** Geochemistry of suspended particulate matter in the Saguenay Fjord 6: 1002-1011
- Louat, R.** The troughs at the rear of the New Hebrides island arc; possible mechanisms of formation 3: 351-360
- Luckman, B. H.** Distribution and characteristics of rock glaciers in the southern part of Jasper National Park, Alberta 4: 540-550
- Ludman, A.** Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine 1: 22-32
- Lusk, J.** Sulfide fabrics in some nickel sulfide ores from Kambalda, Western Australia 4: 501-515
- Lynch, S.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- MacFeehan, P. J.** The geochemistry of altered volcanic rocks at Matagami, Quebec; a geothermal model for massive sulphide genesis 4: 551-570
- Mackay, J. R.** Freshwater shelled invertebrate indicators of paleoclimate in northwestern Canada during late glacial times [discussion and reply] 3: 461-463
- Mackay, J. R.** Sub-pingo water lenses, Tuktoyaktuk Peninsula, Northwest Territories 8: 1219-1227
- MacLean, B.** Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data 5: 773-780
- Macqueen, R. W.** Carbonate-hosted lead-zinc occurrences in northeastern British Columbia with emphasis on the Robb Lake deposit 11: 1737-1762
- Mamet, B.** Viséan limestones from the Newfoundland shelf 9: 1422-1436
- Marten, B. E.** A major Aphebian-Helikian unconformity within the Central Mineral Belt of Labrador; definition of new groups and metallogenic implications 12: 1954-1966
- Massey, N. W. D.** Anomalous Li in Keweenawan rhyolites, Ontario 12: 2031-2033
- Mathews, W. H.** The Rubble Creek landslide, southwestern British Columbia 7: 1039-1052
- Mattinson, J. M.** U-Pb ages of some crystalline rocks from the Burlington Peninsula, Newfoundland, and implications for the age of Fleur de Lys metamorphism [discussion and reply] 7: 1208-1212
- Mayers, I. R.** Simulation of limestone diagenesis; a model based on strontium depletion 3: 376-396
- Mayers, I. R.** Simulation of limestone diagenesis; a model based on strontium depletion [discussion and reply] 10: 1683-1687
- McGlynn, J. C.** Multicomponent magnetization of the Pearson Formation (Great Slave Supergroup, N.W.T.) and the Coronation Loop 4: 642-654
- McGowan, C.** An isolated ichthyosaur coracoid from the Maastrichtian of New Jersey 1: 169-171
- McGregor, D. C.** Upper Silurian trilete spores and other microfossils from the Read Bay Formation, Cornwallis Island, Canadian Arctic 8: 1292-1303
- McLeod, R. A.** A coring and squeezing technique for the detailed study of subsurface water chemistry 1: 162-169
- McMechan, G. A.** Multiple water reflections recorded at the ocean bottom 1: 78-85
- McMechan, G. A.** Seismicity of western Canada 7: 1170-1193
- McWilliams, M. O.** Grenville paleomagnetism and tectonics 5: 687-695

- Medaris, L. G., Jr.** Lherzolite nodules from a Pleistocene cinder cone in central Yukon 2: 220-226
- Mereu, R. F.** The identification and interpretation of upper mantle travel-time branches from measurements of $dT/d\Delta$ made on data recorded at the Yellowknife seismic array 2: 227-236
- Mereu, R. F.** The feasibility of delineating non-layered anomalous velocity zones by a combination of fan shooting and least-squares analysis 10: 1642-1652
- Miall, A. D.** The Somerset Island Formation; an Upper Silurian to ?Lower Devonian intertidal/supratidal succession, Boothia Uplift region, Arctic Canada 2: 181-189
- Miall, A. D.** Tectonic setting and syndepositional deformation of molasse and other nonmarine-paralic sedimentary basins 10: 1613-1632
- Miller, A. A. L.** Decolourization of heavy liquids; an economic assessment 11: 1872-1875
- Miller, H. G.** Three statistical tests for "goodness of fit" 1: 171-173
- Milne, W. G.** Seismicity of western Canada 7: 1170-1193
- Monger, J. W. H.** The Hinterland Belt of the Canadian Cordillera; new data from northern and central British Columbia 5: 823-830
- Moore, D. P.** The Rubble Creek landslide, southwestern British Columbia 7: 1039-1052
- Morris, W. A.** Paleomagnetism of some late Precambrian and lower Paleozoic sediments from l'Adrar de Mauritanie, West Africa 2: 253-262
- Morrison, R.** Morphology and paleoecology of Ordovician tetradiid corals from the Manitoulin District, northern Ontario 12: 2006-2020
- Morrow, D. W.** Simulation of limestone diagenesis; a model based on strontium depletion 3: 376-396
- Morrow, D. W.** A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia 9: 1391-1406
- Morrow, D. W.** Simulation of limestone diagenesis; a model based on strontium depletion [discussion and reply] 10: 1683-1687
- Mott, R. J.** A Late-Quaternary pollen profile from Woodstock, Ontario 7: 1101-1111
- Mountjoy, E. W.** Fore-reef carbonate mud bioherms and associated reef margin, Upper Devonian, Ancient Wall reef complex, Alberta 8: 1304-1325
- Murthy, G. S.** Paleomagnetic results from the Nain Anorthosite and their tectonic implications 4: 516-525
- Nagpaul, K. K.** Fission track etching and annealing phenomenon in phlogopite and their applications 12: 1924-1929
- Naldrett, A. J.** The sulfur content of Archean volcanic rocks and a comparison with ocean floor basalts 5: 715-728
- Napoleoni, J. G. P.** Hot water drilling in a cold glacier 2: 316-321
- Naqvi, S. M.** The petrochemistry and geologic implications of conglomerates from Archean geosynclinal piles of southern India 7: 1085-1100
- Narayana, B. L.** The petrochemistry and geologic implications of conglomerates from Archean geosynclinal piles of southern India 7: 1085-1100
- Narbonne, G. M.** Upper Silurian trilete spores and other microfossils from the Read Bay Formation, Cornwallis Island, Canadian Arctic 8: 1292-1303
- Newitt, L. R.** An analytical representation of the geomagnetic field in Canada for 1975; Part II, The secular change 2: 237-244

- Newitt, L. R.** An analytical representation of the geomagnetic field in Canada for 1975; Part III, The north magnetic pole 6: 994-1001
- Nicholls, J.** Mineralogy and petrology of Quaternary lavas from the Snake River plain, Idaho [discussion and reply] 5: 859-862
- Nickling, W. G.** Eolian sediment transport during dust storms; Slims River valley, Yukon Territory 7: 1069-1084
- Nicollet, C.** Petrologie des niveaux trondhjemitiques de haute pression associes aux eclogites et amphibolites des complexes leptyno-amphiboliques du Massif Central francais 5: 696-707
- Nyland, E.** On shear heating as an explanation for lithosphere-mantle decoupling 8: 1284-1291
- Nyland, E.** Time evolution of stress under an artificial lake and its implication for induced seismicity 9: 1526-1534
- O'Brien, S. J.** Aborted Proterozoic rifting in eastern Newfoundland 1: 117-131
- Okulitch, A. V.** The Triassic unconformity of South-central British Columbia [discussion and reply] 2: 322-324
- Oldershaw, A.** Transformation of aragonite to calcite in a marine gastropod 11: 1861-1866
- O'Leary, R. J.** Huronian polar wander and paleomagnetism of the Thessalon volcanics 7: 1141-1150
- Olojo, E. O.** $^{40}\text{Ar}/^{39}\text{Ar}$ dating of dikes from the Frontenac Axis and implications for Grenville paleomagnetism 11: 1826-1832
- Ongley, E. D.** Sediment and nutrient loadings to Lake Ontario; methodological arguments [discussion and reply] 4: 668-671
- Osborn, G. D.** Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia 6: 865-873
- Ostwald, J.** Sulfide fabrics in some nickel sulfide ores from Kambalda, Western Australia 4: 501-515
- Pajari, G. E.** The Gander Lake and Davidsville groups of northeastern Newfoundland; a re-examination 5: 708-714
- Park, R. G.** Tectonic evolution of two greenstone belts from the Superior Province in Manitoba 11: 1808-1816
- Parshad, R.** Fission track etching and annealing phenomenon in phlogopite and their applications 12: 1924-1929
- Paterson, I. A.** The Hinterland Belt of the Canadian Cordillera; new data from northern and central British Columbia 5: 823-830
- Patterson, R. J.** A coring and squeezing technique for the detailed study of subsurface water chemistry 1: 162-169
- Peirce, J. W.** Rock and paleomagnetic evidence for the existence and nature of a Cayman Trough spreading center 12: 1930-1940
- Pelletier, E.** Determination du bore inorganique dans l'Estuaire du Saint-Laurent 4: 618-625
- Pemberton, S. G.** Computer simulation and sedimentological implications of burrowing by *Axiu serratus* 8: 1370-1374
- Pemberton, S. G.** Oldest known brachiopod burrow; the Lower Cambrian of Labrador 8: 1385-1389
- Percival, J. A.** Zoned epidote nodules from sedimentary rocks of the Eastport Formation, Southwest New Brunswick 7: 1194-1200

- Perry, D. G.** A new fossil occurrence from the Vendom Fiord Formation (type area), Ellesmere Island 10: 1675-1679
- Pickerill, R. K.** A trace fossil preserving its producer (*Trentonia shegiriana*) from the Trenton Limestone of the Quebec City area 4: 659-664
- Pidgeon, R. T.** Dating of igneous and metamorphic events in the Fiskenaasset region of southern West Greenland 12: 2021-2025
- Piper, D. J. W.** Late Quaternary geological history of Mahone Bay, Nova Scotia 4: 586-593
- Plafker, G.** Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska 5: 805-816
- Plint-Geberl, H. A.** Decolourization of heavy liquids; an economic assessment 11: 1872-1875
- Pringle, I. R.** Rb-Sr ages of silicic igneous rocks and deformation, Burlington Peninsula, Newfoundland 2: 293-300
- Quigley, R. M.** Framboids in Champlain Sea sediments 3: 464-465
- Ragland, P. C.** The late Precambrian mafic dikes of the southern Tobacco Root Mountains, Montana; geochemistry, Rb-Sr geochronology and relationship to Belt tectonics 4: 467-479
- Ram, A.** The identification and interpretation of upper mantle travel-time branches from measurements of $dT/d\Delta$ made on data recorded at the Yellowknife seismic array 2: 227-236
- Read, P. B.** The Triassic unconformity of South-central British Columbia [discussion and reply] 2: 322-324
- Reardon, E. J.** Alteration and ore-forming processes at Mattagami Lake Mine, Quebec 1: 1-21
- Retherford, R. M.** A reconnaissance survey of late Quaternary sea levels, Bella Bella/Bella Coola region, central British Columbia coast 3: 341-350
- Reynolds, P. H.** $^{40}\text{Ar}/^{39}\text{Ar}$ dating of dikes from the Frontenac Axis and implications for Grenville paleomagnetism 11: 1826-1832
- Richards, T. A.** The Hinterland Belt of the Canadian Cordillera; new data from northern and central British Columbia 5: 823-830
- Riddihough, R. P.** Seismicity of western Canada 7: 1170-1193
- Ridler, R. H.** The sulfur content of Archean volcanic rocks and a comparison with ocean floor basalts 5: 715-728
- Rigby, J. K.** A new Silurian astylospongid sponge from Baillie-Hamilton Island, Canadian Arctic Archipelago 1: 157-162
- Risk, M. J.** Computer simulation and sedimentological implications of burrowing by *Axiu serratus* 8: 1370-1374
- Roberts, R. G.** Alteration and ore-forming processes at Mattagami Lake Mine, Quebec 1: 1-21
- Robin, C.** Spatial relations of andesitic and alkaline provinces in Mexico and Central America 10: 1633-1641
- Rogers, G. C.** Seismicity of western Canada 7: 1170-1193
- Rogers, G. C.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- Rogers, J. J. W.** The petrochemistry and geologic implications of conglomerates from Archean geosynclinal piles of southern India 7: 1085-1100

- Rohr, D. M.** Lower Devonian Gastropoda from the Canadian Arctic Islands 8: 1228-1241
- Roux, A.** Viséan limestones from the Newfoundland shelf 9: 1422-1436
- Rubin, M.** Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska 5: 805-816
- Ruitenbergh, A. A.** Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine 1: 22-32
- Russell, D. A.** The Cretaceous-Tertiary boundary in South-central Alberta; a reappraisal based on dinosaurian and microfossil extinctions 2: 284-292
- Russell, D. A.** Paleocology of Dinosaur Provincial Park (Cretaceous), Alberta, interpreted from the distribution of articulated vertebrate remains 6: 1012-1024
- Rust, B. R.** Mass flow deposits in a Quaternary succession near Ottawa, Canada; diagnostic criteria for subaqueous outwash [discussion and reply] 2: 327-330
- Ryan, A. B.** A major Aphebian-Helikian unconformity within the Central Mineral Belt of Labrador; definition of new groups and metallogenic implications 12: 1954-1966
- Saini, H. S.** Fission track etching and annealing phenomenon in phlogopite and their applications 12: 1924-1929
- Sangster, D. F.** Isotopic studies of ore-leads of the Circum-Kisseynew volcanic belt of Manitoba and Saskatchewan 7: 1112-1121
- Sanschagrin, Y.** Structure and organization of Archean subaqueous basalt flows, Rouyn-Noranda area, Quebec, Canada 6: 902-918
- Sarjeant, W. A. S.** Triassic reptile tracks in the Lepreau Formation, southern New Brunswick, Canada 4: 594-602
- Satyanarayana, K.** The petrochemistry and geologic implications of conglomerates from Archaean geosynclinal piles of southern India 7: 1085-1100
- Savelle, J.** Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada 9: 1448-1461
- Schafer, C. T.** Foraminifera-mollusc associations in eastern Chaleur Bay 6: 889-901
- Schulz, K. J.** Iron-rich basaltic komatiites in the early Precambrian Vermilion District [discussion and reply] 5: 856-859
- Schwarcz, H. P.** The oxygen isotope composition of the surface crystalline rocks of the Canadian Shield 11: 1773-1782
- Schwerdtner, W. M.** The Barnum Lake Pluton, Thunder Bay, Ontario [discussion] 5: 863-864
- Schwerdtner, W. M.** Determination of stratigraphic thickness of strained units 8: 1379-1380
- Schwerdtner, W. M.** Patterns of total strain in the crestal region of immature diapirs 9: 1437-1447
- Seemann, D.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- Shackleton, D. M.** A tooth of *Mammuthus primigenius* from Chestermere Lake near Calgary, Alberta, and the distribution of mammoths in southwestern Canada 8: 1272-1283
- Shaw, D. M.** Anomalous Li in Keweenawan rhyolites, Ontario 12: 2031-2033
- Sheehan, P. M.** The occurrence of the Ordovician brachiopod *Foliomena* at Perce, Quebec 3: 454-458
- Shieh, Y. N.** The oxygen isotope composition of the surface crystalline rocks of the Canadian Shield 11: 1773-1782

- Shilts, W. W.** Nature and genesis of mudboils, central Keewatin, Canada 7: 1053-1068
- Silverberg, N.** Sediments of the Rimouski shelf region, lower Saint Lawrence Estuary 11: 1724-1736
- Sinclair, P. D.** Lherzolite nodules from a Pleistocene cinder cone in central Yukon 2: 220-226
- Singh, C.** The Cretaceous-Tertiary boundary in South-central Alberta; a reappraisal based on dinosaurian and microfloral extinctions 2: 284-292
- Smith, G. W.** Late Pleistocene stratigraphy of South-central British Columbia 6: 971-980
- Smith, N. D.** Sedimentation processes and patterns in a glacier-fed lake with low sediment input 5: 741-756
- Smith, R. E.** Lower Devonian Gastropoda from the Canadian Arctic Islands 8: 1228-1241
- Smyth, W. R.** A major Aphebian-Helikian unconformity within the Central Mineral Belt of Labrador; definition of new groups and metallogenic implications 12: 1954-1966
- Spanos, T. J. T.** On shear heating as an explanation for lithosphere-mantle decoupling 8: 1284-1291
- Speer, J. A.** The stratigraphy and depositional environment of the Aphebian Snyder Group, Labrador 1: 52-68
- Spitz, G.** Major and minor element lithogeochemical anomalies surrounding the Louvem copper deposit, Val d'Or, Quebec 7: 1161-1169
- Starkey, J.** A re-investigation of the orientation of quartz in a shear zone from Castell Odair, Scotland 4: 664-667
- Starkey, J.** A demonstration of the interdependence of the degree of quartz preferred orientation and the quartz content of deformed rocks 5: 841-847
- Stephenson, O. G.** A sub-critical seismic crustal reflection survey over the Aulneau Batholith, Kenora region, Ontario 2: 301-315
- Stesky, R. M.** Mechanisms of high temperature frictional sliding in Westerly Granite 3: 361-375
- Stewart, I. C. F.** Teleseismic reflections and the Newfoundland lithosphere 2: 175-180
- Storer, J. E.** Rodents of the Swift Current Creek local fauna (Eocene; Uintan) of Saskatchewan 10: 1673-1674
- Stout, M.** Transformation of aragonite to calcite in a marine gasteropod 11: 1861-1866
- Stout, M. Z.** Mineralogy and petrology of Quaternary lavas from the Snake River plain, Idaho [discussion and reply] 5: 859-862
- Strangway, D. W.** Permafrost mapping by audiofrequency magnetotellurics 10: 1539-1546
- Strangway, D. W.** Shallow crustal sounding in the Superior Province by audio frequency magnetotellurics 11: 1701-1711
- Stringer, P.** Triassic reptile tracks in the Lepreau Formation, southern New Brunswick, Canada 4: 594-602
- Strong, D. F.** Aborted Proterozoic rifting in eastern Newfoundland 1: 117-131
- Strong, D. F.** Geochemistry of Paleozoic granitoid plutons from contrasting tectonic zones of Northeast Newfoundland 1: 145-156
- Strong, P. G.** Aborted Proterozoic rifting in eastern Newfoundland 1: 117-131
- Stukas, V. J.** $^{40}\text{Ar}/^{39}\text{Ar}$ dating of dikes from the Frontenac Axis and implications for Grenville paleomagnetism 11: 1826-1832
- Sullivan, K. D.** On the nature of the crust in the vicinity of the Southeast Newfoundland Ridge 9: 1462-1471

- Sundby, B.** Geochemistry of suspended particulate matter in the Saguenay Fjord 6: 1002-1011
- Sutcliffe, R. H.** Patterns of total strain in the crestal region of immature diapirs 9: 1437-1447
- Sutherland, I.** A re-investigation of the orientation of quartz in a shear zone from Castell Odair, Scotland 4: 664-667
- Sydora, L. J.** The thermal regime of the descending lithosphere; the effect of varying angle and rate of subduction 4: 626-641
- Symons, D. T. A.** Paleomagnetism of the 1180 Ma Grenvillian Umfraville gabbro, Ontario 6: 956-962
- Symons, D. T. A.** Huronian polar wander and paleomagnetism of the Thessalon volcanics 7: 1141-1150
- Szoghy, I. M.** Determination of radioactive disequilibrium in uranium-bearing rocks 1: 33-44
- Tasse, N.** The anatomy and interpretation of an Archean volcanoclastic sequence, Noranda region, Quebec 6: 874-888
- Taylor, G. C.** A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia 9: 1391-1406
- Taylor, S. W.** Aborted Proterozoic rifting in eastern Newfoundland 1: 117-131
- Tempelman-Kluit, D. J.** Lherzolite nodules from a Pleistocene cinder cone in central Yukon 2: 220-226
- Thompson, P. H.** Metamorphism, structure, and stratigraphy in the southern Park Ranges, British Columbia [discussion and reply] 12: 2034-2038
- Thompson, R. I.** Carbonate-hosted lead-zinc occurrences in northeastern British Columbia with emphasis on the Robb Lake deposit 11: 1737-1762
- Tippett, C. R.** Stratigraphy, facies changes, and correlations in the northern Selkirk Mountains, southern Canadian Cordillera 7: 1129-1140
- Tournon, J.** Spatial relations of andesitic and alkaline provinces in Mexico and Central America 10: 1633-1641
- Travers, W. B.** Overturned Nicola and Ashcroft strata and their relation to the Cache Creek Group, southwestern Intermontane Belt, British Columbia 1: 99-116
- Trenhaile, A. S.** The geomorphology and origin of Point Pelee, southwestern Ontario 6: 963-970
- Troeng, B.** Patterns of total strain in the crestal region of immature diapirs 9: 1437-1447
- Turek, A.** Geological and geochronological relationships of the Thompson nickel belt, Manitoba [discussion and reply] 8: 1381-1384
- Uzuakpunwa, A. B.** The structural and metamorphic history of the Taconic unconformity in western Massachusetts 12: 1941-1953
- Vallier, T. L.** Petrogenesis of spilite and keratophyre from a Permian and Triassic volcanic arc terrane, eastern Oregon and western Idaho, U.S.A. 8: 1356-1369
- Vallieres, A.** A slice of basement in the western margin of the Appalachian Orogen, Saint-Malachie, Quebec 8: 1242-1249
- Veizer, J.** Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada 9: 1448-1461
- Veizer, J.** Simulation of limestone diagenesis; a model based on strontium depletion [discussion and reply] 10: 1683-1687
- Venter, R. D.** Computer simulation and sedimentological implications of burrowing by *Axiu serratus* 8: 1370-1374

- Vitaliano, C. J.** The late Precambrian mafic dikes of the southern Tobacco Root Mountains, Montana; geochemistry, Rb-Sr geochronology and relationship to Belt tectonics 4: 467-479
- Von Bitter, P. H.** Decolourization of heavy liquids; an economic assessment 11: 1872-1875
- Waboso, C. E.** The feasibility of delineating non-layered anomalous velocity zones by a combination of fan shooting and least-squares analysis 10: 1642-1652
- Wade, U. S.** Geophysical measurements in the region of the Explorer Ridge off western Canada 9: 1508-1525
- Wagner, F. J. E.** Foraminifera-mollusc associations in eastern Chaleur Bay 6: 889-901
- Walker, R. G.** A critical appraisal of Archean basin-craton complexes 7: 1213-1218
- Walters, K. L.** The age of metasomatic anhydrite in Mississippian reservoir carbonates, southeastern Saskatchewan 3: 424-430
- Ward, P. D.** Revisions to the stratigraphy and biochronology of the Upper Cretaceous Nanaimo Group, British Columbia and Washington State 3: 405-423
- Wardlaw, N.** Transformation of aragonite to calcite in a marine gasteropod 11: 1861-1866
- Weichert, D. H.** The identification and interpretation of upper mantle travel-time branches from measurements of $dT/d\Delta$ made on data recorded at the Yellowknife seismic array 2: 227-236
- Westgate, J. A.** Compositional variability of Glacier Peak tephra and its stratigraphic significance 10: 1554-1567
- Whitehead, R. E. S.** Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada 2: 207-219
- Whitehead, R. E. S.** Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada [discussion and reply] 10: 1680-1683
- Wiebe, R. A.** Anorthosite and associated plutons, southern Nain Complex, Labrador 8: 1326-1340
- Wilson, M.** Late Pleistocene Camelops from the Gallelli Pit, Calgary, Alberta; morphology and geologic setting 5: 729-740
- Wilson, M. V. H.** Eohiodon woodruffi n. sp. (Teleostei, Hiodontidae), from the middle Eocene Klondike Mountain Formation near Republic, Washington 5: 679-686
- Wilson, M. V. H.** Upper Cretaceous marine Teleostei from the basal Kanguk Formation, Banks Island, Northwest Territories 11: 1799-1807
- Wilton, D. H.** Aborted Proterozoic rifting in eastern Newfoundland 1: 117-131
- Wintle, A. G.** A thermoluminescence dating study of some Quaternary calcite; potential and problems 12: 1977-1986
- Withers, R. J.** Time evolution of stress under an artificial lake and its implication for induced seismicity 9: 1526-1534
- Wooden, J. L.** The late Precambrian mafic dikes of the southern Tobacco Root Mountains, Montana; geochemistry, Rb-Sr geochronology and relationship to Belt tectonics 4: 467-479
- Wuorinen, V.** Age of Aiyansh Volcano, British Columbia 6: 1037-1038
- Zaw, U. K.** Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories 7: 1205-1207
- Zeck, H. P.** A 1950 ± 60 Ma Rb-Sr whole-rock isochron age from two Kangamiut dykes and the timing of the Nagssugtoqidian (Hudsonian) Orogeny in West Greenland 7: 1122-1128
- Zoltai, S. C.** Freshwater shelled invertebrate indicators of paleoclimate in northwestern Canada during late glacial times [discussion and reply] 3: 461-463

SUBJECT INDEX/REPertoire DES SUJETS*

absolute age *see also* geochronology; isotopes

absolute age—dates

bones: Late Pleistocene Camelops from the Gallie Pit, Calgary, Alberta; morphology and geologic setting
(Wilson, M., *et al.*) 5: 729-740

diabase: Paleomagnetism and age of the Aston dykes and Savage Point sills of the Boothia Uplift, Canada

(Jones, D. L., *et al.*) 10: 1605-1612

— $^{40}\text{Ar}/^{39}\text{Ar}$ dating of dikes from the Frontenac Axis and implications for Grenville paleomagnetism

(Reynolds, P. H., *et al.*) 11: 1826-1832

granite: Devonian alkalic basalt dikes of northeastern Newfoundland; evidence of a tensional environment

(Jayasinghe, N. R.) 5: 848-853

hornblende: $^{40}\text{Ar}/^{39}\text{Ar}$ incremental-release ages of hornblende and biotite from Grenville basement rocks within the Indian Head Range Complex, Southwest Newfoundland; their bearing on late Proterozoic-early Paleozoic thermal history

(Dallmeyer, R. D.) 8: 1374-1379

igneous rocks: The late Precambrian mafic dikes of the southern Tobacco Root Mountains, Montana; geochemistry, Rb-Sr geochronology and relationship to Belt tectonics

(Wooden, J. L., *et al.*) 4: 467-479

metamorphic rocks: A slice of basement in the western margin of the Appalachian Orogen, Saint-Malachie, Quebec

(Vallieres, A., *et al.*) 8: 1242-1249

— A 1950 ± 60 Ma Rb-Sr whole-rock isochron age from two Kangamiut dykes and the timing of the Nagssugtoqidian (Hudsonian) Orogeny in West Greenland

(Kalsbeek, F., *et al.*) 7: 1122-1128

mica: Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories

(Archibald, D. A., *et al.*) 7: 1205-1207

moraines: Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland,

British Columbia

(Duford, J. M., *et al.*) 6: 865-873

plutonic rocks: Elsonian magmatism in Labrador; age, characteristics and tectonic setting
(Emslie, R. F.) 3: 438-453

— Rb-Sr ages of silicic igneous rocks and deformation, Burlington Peninsula, Newfoundland
(Pringle, I. R.) 2: 293-300

sedimentation: The determination of sedimentation rates in Lake Ontario using the ^{210}Pb dating method

(Farmer, J. G.) 3: 431-437

sediments: A Late-Quaternary pollen profile from Woodstock, Ontario

(Mott, R. J., *et al.*) 7: 1101-1111

— A reconnaissance survey of late Quaternary sea levels, Bella Bella/Bella Coola region, central British Columbia coast

(Andrews, J. T., *et al.*) 3: 341-350

shells: The glacial geology of northeastern Ellesmere Island, N.W.T., Canada

(England, J.) 4: 603-617

sulfides: Isotopic studies of ore-leads of the Circum-Kisseynew volcanic belt of Manitoba and Saskatchewan

(Sangster, D. F.) 7: 1112-1121

wood: Age of Aiyansh Volcano, British Columbia

(Wuorinen, V.) 6: 1037-1038

— Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska

(Plafker, G., *et al.*) 5: 805-816

— Radiocarbon dating of Nipissing Great Lakes events near Sault Ste. Marie, Ontario
(Cowan, W. R.) 12: 2026-2030

zircon: Dating of igneous and metamorphic events in the Fiskenaesset region of southern West Greenland

(Pidgeon, R. T., *et al.*) 12: 2021-2025

absolute age—interpretation

errors: Removal of atmospheric argon contamination and the use and misuse of the K-Ar isochron method

(Armstrong, R. L., *et al.*) 2: 325-327

*Prepared from the GeoRef data base, at the American Geological Institute, 5205 Leesburg Pike, Falls Church, VA 22041, U.S.A.

- gneiss*: Geological and geochronological relationships of the Thompson nickel belt, Manitoba
(Church, W. R., *et al.*) 8: 1381-1384
- U/Pb*: U-Pb ages of some crystalline rocks from the Burlington Peninsula, Newfoundland, and implications for the age of Fleur de Lys metamorphism
(Bell, K., *et al.*) 7: 1208-1212
- absolute age—methods**
uranium disequilibrium: Determination of radioactive disequilibrium in uranium-bearing rocks
(Szoghy, I. M., *et al.*) 1: 33-44
- acoustical surveys** *see under* geophysical surveys *under* Nova Scotia
- Africa** *see also* Mauritania
- Alaska—geochronology**
Holocene: Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska
(Plafker, G., *et al.*) 5: 805-816
- Alaska—seismology**
earthquakes: Response of an aquifer near Ot-tawa to tidal forcing and the Alaskan earthquake of 1964
(Bower, D. R., *et al.*) 3: 331-340
- Alaska—structural geology**
neotectonics: Displacement history of the Denali fault system, Alaska and Canada
(Lanphere, M. A.) 5: 817-822
tectonics: Megalineament in southeastern Alaska marks southwest edge of Coast Range batholithic complex
(Brew, D. A., *et al.*) 11: 1763-1772
- Alaska—geomorphology**
glacial geology: Distribution and characteristics of rock glaciers in the southern part of Jasper National Park, Alberta
(Luckman, B. H., *et al.*) 4: 540-550
— Shear phenomena in ice-thrust gravels, central Alberta
(Babcock, E. A., *et al.*) 2: 277-283
— Wenkchemna Glacier; ablation complex and rock glacier in the Canadian Rocky Mountains
(Gardner, J.) 7: 1200-1204
- Alberta—geophysical surveys**
heat flow: Groundwater temperatures in the Athabasca oil sands area, Alberta
(Hackbarth, D. A.) 11: 1689-1700
- Alberta—paleontology**
Mammalia: A tooth of *Mammuthus primigenius* from Chestermere Lake near Calgary, Alberta, and the distribution of mammoths in south-western Canada
(Harington, C. R., *et al.*) 8: 1272-1283
— Paleocene primates from western Canada
(Krause, D. W.) 8: 1250-1271
- Reptilia*: Paleoeology of Dinosaur Provincial Park (Cretaceous), Alberta, interpreted from the distribution of articulated vertebrate remains
(Beland, P., *et al.*) 6: 1012-1024
- Alberta—petrology**
metamorphic rocks: The petrogenesis and origin of the analcime in the volcanic rocks of the Crownsnest Formation, Alberta
(Ferguson, L. J., *et al.*) 1: 69-77
- Alberta—sedimentary petrology**
reefs: Fore-reef carbonate mud bioherms and associated reef margin, Upper Devonian, Ancient Wall reef complex, Alberta
(Mountjoy, E. W., *et al.*) 8: 1304-1325
sedimentation: Sedimentation processes and patterns in a glacier-fed lake with low sediment input
(Smith, N. D.) 5: 741-756
- Alberta—stratigraphy**
Cretaceous: The Cretaceous-Tertiary boundary in South-central Alberta; a reappraisal based on dinosaurian and microfloral extinctions
(Russell, D. A., *et al.*) 2: 284-292
Paleocene: The Cretaceous-Tertiary boundary in South-central Alberta; a reappraisal based on dinosaurian and microfloral extinctions
(Russell, D. A., *et al.*) 2: 284-292
Pleistocene: Late Pleistocene *Camelops* from the Gallelli Pit, Calgary, Alberta; morphology and geologic setting
(Wilson, M., *et al.*) 5: 729-740
- algae—biostratigraphy**
Carboniferous: Visean limestones from the Newfoundland shelf
(Jansa, L. F., *et al.*) 9: 1422-1436
- algae—stromatolites**
Proterozoic: New stromatolites from the Apebi-an Mistassini Group, Quebec
(Hofmann, H. J.) 4: 571-585
- Annelida—Polychaetia**
Ordovician: A trace fossil preserving its producer (*Trentonia shegiri*) from the Trenton Limestone of the Quebec City area
(Pickerill, R. K., *et al.*) 4: 659-664
- Anthozoa** *see under* Coelenterata
- Appalachians—geochronology**
Proterozoic: A slice of basement in the western margin of the Appalachian Orogen, Saint-Malachie, Quebec
(Vallieres, A., *et al.*) 8: 1242-1249

Appalachians—tectonophysics

- plate tectonics*: Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada
(Whitehead, R. E. S., *et al.*) 2: 207-219
- Provenance of Ordovician deep-water sandstones, Tourelle Formation, Quebec, and implications for initiation of the Taconic Orogeny
(Hiscott, R. N.) 10: 1579-1597
- The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle
(Kidd, W. S. F., *et al.*) 5: 781-804

Archean *see also under* geochronology *under* Greenland

archeology *see* archaeology *under* paleoecology *under* fossil man

Arctic Ocean—oceanography

- sediments*: Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins
(Higgs, R.) 11: 1850-1860

Arctic region *see also* Greenland

Arctic region—economic geology

- petroleum*: Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins
(Higgs, R.) 11: 1850-1860

argon— isotopes

- Ar-40/Ar-39*: Removal of atmospheric argon contamination and the use and misuse of the K-Ar isochron method
(Armstrong, R. L., *et al.*) 2: 325-327

Arthropoda—Crustacea

- Holocene*: Computer simulation and sedimentological implications of burrowing by *Axius serratus*
(Risk, M. J., *et al.*) 8: 1370-1374

Asia *see also* India

Atlantic Coastal Plain—paleontology

- biogeography*: Computer simulation and sedimentological implications of burrowing by *Axius serratus*
(Risk, M. J., *et al.*) 8: 1370-1374

Atlantic Ocean—geophysical surveys

- seismic surveys*: Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data
(MacLean, B., *et al.*) 5: 773-780
- surveys*: On the nature of the crust in the vicinity of the Southeast Newfoundland Ridge
(Sullivan, K. D., *et al.*) 9: 1462-1471

Atlantic Ocean—oceanography

- continental shelf*: Geophysical study of basement fractures on the western European and eastern Canadian shelves; transatlantic correlations, and late Hercynian movements
(Lefort, J. P., *et al.*) 3: 397-404
- ocean circulation*: A side-scan sonar mosaic of pockmarks on the Scotian Shelf
(Josenhans, H. W., *et al.*) 5: 831-840
- Tidal loading in Nova Scotia; results from improved ocean tide models
(Beaumont, C., *et al.*) 6: 981-993
- sediments*: Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins
(Higgs, R.) 11: 1850-1860

Atlantic region—stratigraphy

- biogeography*: Viséan limestones from the Newfoundland shelf
(Jansa, L. F., *et al.*) 9: 1422-1436

Atlantic region—structural geology

- tectonics*: Geophysical study of basement fractures on the western European and eastern Canadian shelves; transatlantic correlations, and late Hercynian movements
(Lefort, J. P., *et al.*) 3: 397-404

Atlantic region—tectonophysics

- crust*: On the nature of the crust in the vicinity of the Southeast Newfoundland Ridge
(Sullivan, K. D., *et al.*) 9: 1462-1471
- plate tectonics*: Devonian alkalic basalt dikes of northeastern Newfoundland; evidence of a tensional environment
(Jayasinghe, N. R.) 5: 848-853

Australia *see also* Western Australia

automatic data processing—general

- graphics*: Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes
(Cruden, D., *et al.*) 10: 1598-1604

automatic data processing—geophysical surveys

- models*: The feasibility of delineating non-layered anomalous velocity zones by a combination of fan shooting and least-squares analysis
(Waboso, C. E., *et al.*) 10: 1642-1652

automatic data processing—sedimentary**petrology**

- bioturbation*: Computer simulation and sedimentological implications of burrowing by *Axius serratus*
(Risk, M. J., *et al.*) 8: 1370-1374

automatic data processing—tectonophysics

- continental drift*: Plate tectonics in the Phanerozoic
(Kanasewich, E. R., *et al.*) 6: 919-955

Aves—Neornithes

- Pleistocene*: Pleistocene grebes from the Old Crow Basin, Yukon Territory (Fitzgerald, G. R.) 12: 1887-1892

barite *see also* under economic geology under British Columbia

batholiths *see* under intrusions

Belize—paleontology

- Mollusca*: Transformation of aragonite to calcite in a marine gasteropod (Wardlaw, N., *et al.*) 11: 1861-1866

biogeography *see also* under paleontology under Atlantic Coastal Plain; Canada; *see also* under stratigraphy under Atlantic region

biogeography—Mollusca

- Pleistocene*: Asian freshwater mollusks from Pleistocene deposits in the Old Crow Basin, Yukon Territory (Clarke, A. H., *et al.*) 1: 45-51

birds *see* Aves

boron—abundance

- sea water*: Distribution of inorganic boron in the Saint Lawrence Estuary (Pelletier, E., *et al.*) 4: 618-625

Brachiopoda—Articulata

- Cambrian*: Oldest known brachiopod burrow; the Lower Cambrian of Labrador (Pemberton, S. G., *et al.*) 8: 1385-1389

Brachiopoda—biostratigraphy

- Devonian*: A new fossil occurrence from the Vendom Fiord Formation (type area), Ellesmere Island (Perry, D. G.) 10: 1675-1679

Brachiopoda—Strophomenida

- Ordovician*: The occurrence of the Ordovician brachiopod *Foliomena* at Perce, Quebec (Sheehan, P. M., *et al.*) 3: 454-458

British Columbia—economic geology

- barite*: A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia (Morrow, D. W., *et al.*) 9: 1391-1406
- petroleum*: Carbonate-hosted lead-zinc occurrences in northeastern British Columbia with emphasis on the Robb Lake deposit (Macqueen, R. W., *et al.*) 11: 1737-1762

British Columbia—engineering geology

- permafrost*: The distribution and thickness of icy permafrost in northeastern British Columbia (Crampton, C. B.) 4: 655-659
- slope stability*: The Rubble Creek landslide, southwestern British Columbia (Moore, D. P., *et al.*) 7: 1039-1052

British Columbia—environmental geology

- geologic hazards*: The Rubble Creek landslide, southwestern British Columbia (Moore, D. P., *et al.*) 7: 1039-1052

British Columbia—geochronology

- Holocene*: Age of Aiyansh Volcano, British Columbia (Wuorinen, V.) 6: 1037-1038
- Quaternary*: A reconnaissance survey of late Quaternary sea levels, Bella Bella/Bella Coola region, central British Columbia coast (Andrews, J. T., *et al.*) 3: 341-350
- Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia (Duford, J. M., *et al.*) 6: 865-873

British Columbia—geomorphology

- fluvial features*: Mean flow structure in meanders of the Squamish River, British Columbia (Hickin, E. J.) 11: 1833-1849

British Columbia—geophysical surveys

- heat flow*: Geophysical measurements in the region of the Explorer Ridge off western Canada (Hyndman, R. D., *et al.*) 9: 1508-1525

British Columbia—petrology

- igneous rocks*: Oxide minerals in the Turnagain ultramafic complex, northwestern British Columbia (Clark, T.) 12: 1893-1903
- lava*: Shaskanite and related analcite-bearing lavas in British Columbia (Church, B. N.) 10: 1669-1672
- metamorphism*: Metamorphism, structure, and stratigraphy in the southern Park Ranges, British Columbia (Thompson, P. H., *et al.*) 12: 2034-2038

British Columbia—sedimentary petrology

- sediments*: On the statistics of grain size variation along a gravel river (Church, M., *et al.*) 7: 1151-1160

British Columbia—stratigraphy

- Cambrian*: Metamorphism, structure and stratigraphy in the southern Park Ranges, British Columbia (Craw, D.) 1: 86-98
- changes of level*: A reconnaissance survey of late Quaternary sea levels, Bella Bella/Bella Coola region, central British Columbia coast (Andrews, J. T., *et al.*) 3: 341-350
- Cretaceous*: Revisions to the stratigraphy and biochronology of the Upper Cretaceous Nanaimo Group, British Columbia and Washington State (Ward, P. D.) 3: 405-423
- Jurassic*: Overturned Nicola and Ashcroft strata and their relation to the Cache Creek Group,

- southwestern Intermontane Belt, British Columbia
(Travers, W. B.) 1: 99-116
- Permian:** The Triassic unconformity of South-central British Columbia
(Little, H. W., *et al.*) 2: 322-324
- Pleistocene:** Late Pleistocene stratigraphy of South-central British Columbia
(Fulton, R. J., *et al.*) 6: 971-980
- Proterozoic:** Metamorphism, structure and stratigraphy in the southern Park Ranges, British Columbia
(Craw, D.) 1: 86-98
- Stratigraphy, facies changes, and correlations in the northern Selkirk Mountains, southern Canadian Cordillera
(Brown, R. L., *et al.*) 7: 1129-1140
- Triassic:** Overturned Nicola and Ashcroft strata and their relation to the Cache Creek Group, southwestern Intermontane Belt, British Columbia
(Travers, W. B.) 1: 99-116
- The Triassic unconformity of South-central British Columbia
(Little, H. W., *et al.*) 2: 322-324
- British Columbia—structural geology**
- tectonics:* Metamorphism, structure and stratigraphy in the southern Park Ranges, British Columbia
(Craw, D.) 1: 86-98
- The Hinterland Belt of the Canadian Cordillera; new data from northern and central British Columbia
(Monger, J. W. H., *et al.*) 5: 823-830
- British Columbia—tectonophysics**
- plate tectonics:* Overturned Nicola and Ashcroft strata and their relation to the Cache Creek Group, southwestern Intermontane Belt, British Columbia
(Travers, W. B.) 1: 99-116
- Cambrian** *see also under* stratigraphy *under* British Columbia; New England
- Canada** *see also* Alberta; Appalachians; Atlantic Coastal Plain; British Columbia; Canadian Shield; Great Lakes; Great Lakes region; Labrador; Manitoba; Maritime Provinces; New Brunswick; Newfoundland; Northwest Territories; Nova Scotia; Ontario; Quebec; Rocky Mountains; Saskatchewan; Yukon Territory
- Canada—economic geology**
- tungsten:* Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories
(Archibald, D. A., *et al.*) 7: 1205-1207
- Canada—engineering geology**
- permafrost:* Permafrost mapping by audiofrequency magnetotellurics
(Koziar, A., *et al.*) 10: 1539-1546
- Canada—geochemistry**
- trace elements:* Geochemistry of zinc, copper and lead in the sediments of the estuary and Gulf of St. Lawrence
(Loring, D. H.) 5: 757-772
- Canada—paleontology**
- biogeography:* A tooth of *Mammuthus primigenius* from Chestermere Lake near Calgary, Alberta, and the distribution of mammoths in southwestern Canada
(Harington, C. R., *et al.*) 8: 1272-1283
- Canada—seismology**
- crust:* Geophysical measurements in the region of the Explorer Ridge off western Canada
(Hyndman, R. D., *et al.*) 9: 1508-1525
- earthquakes:* Seismicity of western Canada
(Milne, W. G., *et al.*) 7: 1170-1193
- Canada—stratigraphy**
- Paleocene:* Paleocene primates from western Canada
(Krause, D. W.) 8: 1250-1271
- Tertiary:* A unique stratigraphic record of late Tertiary-Quaternary events in southeastern Yukon
(Klassen, R. W.) 11: 1884-1886
- Canada—tectonophysics**
- plate tectonics:* The seismotectonics of southern Saskatchewan
(Horner, R. B., *et al.*) 8: 1341-1355
- Canadian Shield—economic geology**
- nickel:* The feasibility of delineating non-layered anomalous velocity zones by a combination of fan shooting and least-squares analysis
(Waboso, C. E., *et al.*) 10: 1642-1652
- polymetallic ores:* Isotopic studies of ore-leads of the Circum-Kisseynew volcanic belt of Manitoba and Saskatchewan
(Sangster, D. F.) 7: 1112-1121
- uranium:* A major Aphebian-Helikian unconformity within the Central Mineral Belt of Labrador; definition of new groups and metallogenic implications
(Smyth, W. R., *et al.*) 12: 1954-1966
- Canadian Shield—geochemistry**
- isotopes:* The oxygen isotope composition of the surface crystalline rocks of the Canadian Shield
(Shieh, Y. N., *et al.*) 11: 1773-1782
- sulfur:* The sulfur content of Archean volcanic rocks and a comparison with ocean floor basalts
(Naldrett, A. J., *et al.*) 5: 715-728

Canadian Shield—geophysical surveys

magnetotelluric surveys: Shallow crustal sound-
ing in the Superior Province by audio frequen-
cy magnetotellurics
(Koziar, A., *et al.*) 11: 1701-1711

Canadian Shield—seismology

crust: A sub-critical seismic crustal reflection
survey over the Aulneau Batholith, Kenora
region, Ontario
(Green, A. G., *et al.*) 2: 301-315

Canadian Shield—stratigraphy

Precambrian: Magnetic overprinting in the Tha-
net gabbro complex, Ontario
(Buchan, K. L.) 9: 1407-1421

Proterozoic: Grenville paleomagnetism and tec-
tonics

(McWilliams, M. O., *et al.*) 5: 687-695

— Paleomagnetism and age of the Aston dykes
and Savage Point sills of the Boothia Uplift,
Canada

(Jones, D. L., *et al.*) 10: 1605-1612

Canadian Shield—structural geology

tectonics: A critical appraisal of Archean basin-
craton complexes

(Walker, R. G.) 7: 1213-1218

— Tectonic evolution of two greenstone belts
from the Superior Province in Manitoba

(Park, R. G., *et al.*) 11: 1808-1816

— The structural relationship between Archean
granite-greenstone terrains and late Archean
mafic dikes

(Halls, H. C.) 10: 1665-1668

Canadian Shield—tectonophysics

heat flow: The effect of Pleistocene climatic
variations on the geothermal regime in On-
tario; a reassessment

(Allis, R. G.) 11: 1875-1879

carbonate rocks *see under* sedimentary rocks

carbonates *see under* minerals

Carboniferous *see also under* stratigraphy *under*
Newfoundland

Caribbean Sea—tectonophysics

sea-floor spreading: Rock and paleomagnetic evi-
dence for the existence and nature of a Cay-
man Trough spreading center

(Clark, M. J., *et al.*) 12: 1930-1940

caves *see under* solution features *under* geomor-
phology

Central America *see also* Belize

Central America—petrology

igneous rocks: Spatial relations of andesitic and
alkaline provinces in Mexico and Central
America

(Robin, C., *et al.*) 10: 1633-1641

changes of level *see also under* geomorphology
under Northwest Territories; *see also under* stra-
tigraphy *under* British Columbia; Great Lakes;
Northwest Territories; Quebec

chemical analysis—techniques

sample preparation: Decolourization of heavy
liquids; an economic assessment

(Von Bitter, P. H., *et al.*) 11: 1872-1875

— Distribution of inorganic boron in the Saint
Lawrence Estuary

(Pelletier, E., *et al.*) 4: 618-625

clastic rocks *see under* sedimentary rocks

clastic sediments *see under* sediments

clay *see under* clastic sediments *under* sediments

Coelenterata—Anthozoa

Devonian: Fore-reef carbonate mud bioherms
and associated reef margin, Upper Devonian,
Ancient Wall reef complex, Alberta

(Mountjoy, E. W., *et al.*) 8: 1304-1325

Coelenterata—paleoecology

biostromes: Paleoecological succession leading
to a Late Ordovician biostrome on Manitoulin
Island, Ontario

(Copper, P., *et al.*) 12: 1987-2001

Coelenterata—Tabulata

Ordovician: Morphology and paleoecology of
Ordovician tetradiid corals from the Manitou-
lin District, northern Ontario

(Copper, P., *et al.*) 12: 2006-2020

conodonts—biostratigraphy

Devonian: A new fossil occurrence from the
Vendorn Fiord Formation (type area), Elles-
mere Island

(Perry, D. G.) 10: 1675-1679

continental drift *see also under* stratigraphy *under*
maps; North America; Phanerozoic; *see also un-
der* tectonophysics *under* automatic data proc-
essing

continental drift—evolution

models: Plate tectonics in the Phanerozoic

(Kanasewich, E. R., *et al.*) 6: 919-955

continental shelf *see also under* oceanography
under Atlantic Ocean

copper *see also under* economic geology *under* Que-
bec

copper—abundance

sediments: Geochemistry of zinc, copper and
lead in the sediments of the estuary and Gulf
of St. Lawrence

(Loring, D. H.) 5: 757-772

Cretaceous *see also under* geochronology *under*
Northwest Territories; *see also under* stratigra-
phy *under* Alberta; British Columbia; Northwest
Territories; Washington

crust *see also under* seismology *under* Canada;
Canadian Shield; Newfoundland; *see also under*
tectonophysics *under* Atlantic region; Nova
Scotia; Ontario

crust—properties

- electrical properties*: Frequency spectrum of the electrical properties of seawater-saturated ocean crust and oceanic island basalts (Drury, M. J.) 9: 1489-1495

crystal chemistry *see also* crystal growth; minerals

crystal chemistry—carbonates

- aragonite*: Transformation of aragonite to calcite in a marine gasteropod (Wardlaw, N., *et al.*) 11: 1861-1866

crystal growth *see also* crystal chemistry; minerals

crystal growth—carbonates

- aragonite*: Transformation of aragonite to calcite in a marine gasteropod (Wardlaw, N., *et al.*) 11: 1861-1866

crystal growth—framework silicates

- analcite*: Shaskanite and related analcite-bearing lavas in British Columbia (Church, B. N.) 10: 1669-1672

crystal growth—mechanism

- processes*: Crystal growth and nucleation in flash-injected diabase dikes (Gray, N. H.) 12: 1904-1923

crystal growth—orthosilicates, epidote group

- epidote*: Zoned epidote nodules from sedimentary rocks of the Eastport Formation, Southwest New Brunswick (Percival, J. A., *et al.*) 7: 1194-1200

crystal growth—sulfides

- pyrite*: Framboids in Champlain Sea sediments (Haynes, J., *et al.*) 3: 464-465
pyrrhotite: Sulfide fabrics in some nickel sulfide ores from Kambalda, Western Australia (Ostwald, J., *et al.*) 4: 501-515

crystal structure *see also* crystal chemistry; minerals

deformation *see also* geophysics; structural analysis

deformation—experimental studies

- recrystallization*: Sulfide fabrics in some nickel sulfide ores from Kambalda, Western Australia (Ostwald, J., *et al.*) 4: 501-515
sliding: Mechanisms of high temperature frictional sliding in Westerly Granite (Stesky, R. M.) 3: 361-375

deformation—field studies

- recrystallization*: The structural and metamorphic history of the Taconic unconformity in western Massachusetts (Uzuakpunwa, A. B., *et al.*) 12: 1941-1953
shear: Shear phenomena in ice-thrust gravels, central Alberta (Babcock, E. A., *et al.*) 2: 277-283
strain: Diapiric structures and regional compression in an Archean greenstone belt, Island Lake, Manitoba (Fyson, W. K., *et al.*) 11: 1817-1825

- Patterns of total strain in the crestral region of immature diapirs (Schwerdtner, W. M., *et al.*) 9: 1437-1447

deformation—theoretical studies

- strain*: Determination of stratigraphic thickness of strained units (Schwerdtner, W. M.) 8: 1379-1380

Devonian *see also* under stratigraphy under North-west Territories; Rocky Mountains

diagenesis *see also* sedimentation

diagenesis—effects

- iron formations*: Mineralogy and petrology of the Sokoman Iron Formation near Ardua Lake, Quebec (Lesher, C. M.) 4: 480-500
mineralization: Carbonate-hosted lead-zinc occurrences in northeastern British Columbia with emphasis on the Robb Lake deposit (Macqueen, R. W., *et al.*) 11: 1737-1762

diagenesis—environment

- indicators*: Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada (Veizer, J., *et al.*) 9: 1448-1461

diagenesis—geochemistry

- strontium*: Simulation of limestone diagenesis; a model based on strontium depletion (Morrow, D. W., *et al.*) 3: 376-396
 — Simulation of limestone diagenesis; a model based on strontium depletion (Veizer, J., *et al.*) 10: 1683-1687
 — Transformation of aragonite to calcite in a marine gasteropod (Wardlaw, N., *et al.*) 11: 1861-1866

diagenesis—processes

- replacement*: The age of metasomatic anhydrite in Mississippian reservoir carbonates, southeastern Saskatchewan (Kendall, A. C., *et al.*) 3: 424-430

diapirs *see* salt tectonics

diastrophism *see* orogeny

dikes *see* under intrusions

domes *see* under style under folds

Earth—magnetic field

- pole positions*: An analytical representation of the geomagnetic field in Canada for 1975; Part III, The north magnetic pole (Dawson, E., *et al.*) 6: 994-1001
secular variations: An analytical representation of the geomagnetic field in Canada for 1975; Part II, The secular change (Dawson, E., *et al.*) 2: 237-244

earthquakes *see also* seismology; *see also* under seismology under Alaska; Canada; Saskatchewan

- Eastern Hemisphere** *see also* Arctic Ocean; Atlantic Ocean
- Echinodermata—Cystoidea**
Ordovician: The Ordovician cystoid, *Amecystis cordiformis* Sinclair (Broadhead, T. W.) 1: 173-174
- ecology** *see also* under environmental geology under Nova Scotia; *see also* under paleontology under New Brunswick; Quebec
- electrical logging** *see* well-logging
- engineering geology** *see also* deformation; geodesy; geophysical methods; ground water; reservoirs; rock mechanics
- Eocene** *see also* under stratigraphy under Saskatchewan; Utah
- epeirogeny** *see also* orogeny
- Europe** *see also* the individual nations
- faults—displacements**
strike-slip faults: Displacement history of the Denali fault system, Alaska and Canada (Lanphere, M. A.) 5: 817-822
 — Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska (Plafker, G., *et al.*) 5: 805-816
 — The seismotectonics of southern Saskatchewan (Horner, R. B., *et al.*) 8: 1341-1355
thrust faults: The Hinterland Belt of the Canadian Cordillera; new data from northern and central British Columbia (Monger, J. W. H., *et al.*) 5: 823-830
 — The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle (Kidd, W. S. F., *et al.*) 5: 781-804
- faults—distribution**
continental shelf: Geophysical study of basement fractures on the western European and eastern Canadian shelves; transatlantic correlations, and late Hercynian movements (Lefort, J. P., *et al.*) 3: 397-404
- faults—mechanics**
experimental studies: Mechanisms of high temperature frictional sliding in Westerly Granite (Stesky, R. M.) 3: 361-375
- fission-track dating** *see* under geochronology
- fluid inclusions** *see also* inclusions
- folds—style**
domes: Patterns of total strain in the crestal region of immature diapirs (Schwerdtner, W. M., *et al.*) 9: 1437-1447
- foliation** *see also* structural analysis
- foliation—style**
schistosity: Diapiric structures and regional compression in an Archean greenstone belt, Island Lake, Manitoba (Fyson, W. K., *et al.*) 11: 1817-1825
- foraminifera—biostratigraphy**
Carboniferous: Visean limestones from the Newfoundland shelf (Jansa, L. F., *et al.*) 9: 1422-1436
- foraminifera—ecology**
shallow-water environment: Foraminifera-mollusc associations in eastern Chaleur Bay (Schafer, C. T., *et al.*) 6: 889-901
- fossil man—paleoecology**
archaeology: A reconnaissance survey of late Quaternary sea levels, Bella Bella/Bella Coola region, central British Columbia coast (Andrews, J. T., *et al.*) 3: 341-350
- fossils** *see* appropriate fossil group
- foundations** *see also* rock mechanics
- fractures—genesis**
shear: Vein geometry and hydrostatics during Yellowknife mineralisation (Kerrick, R., *et al.*) 10: 1653-1660
- framework silicates** *see* under minerals
- France—petrology**
metamorphism: Petrology of high-pressure trondhjemitic layers associated with eclogites and amphibolites in the leptyno-amphibolitic complexes of the Central Massif, France (Nicollet, C., *et al.*) 5: 696-707
- genesis of ore deposits** *see* mineral deposits, genesis
- geochemistry—surveys**
Quebec: Geochemistry of suspended particulate matter in the Saguenay Fjord (Sundby, B., *et al.*) 6: 1002-1011
- geochronology** *see also* absolute age
- geochronology—fission-track dating**
phlogopite: Fission track etching and annealing phenomenon in phlogopite and their applications (Parshad, R., *et al.*) 12: 1924-1929
- geochronology—tephrochronology**
correlation: Compositional variability of Glacier Peak tephra and its stratigraphic significance (Westgate, J. A., *et al.*) 10: 1554-1567
- geochronology—thermoluminescence**
calcite: A thermoluminescence dating study of some Quaternary calcite; potential and problems (Wintle, A. G.) 12: 1977-1986
- geodesy—surveys**
Nova Scotia: Tidal loading in Nova Scotia; results from improved ocean tide models (Beaumont, C., *et al.*) 6: 981-993

- geologic hazards** *see also* under environmental geology under British Columbia
- geomorphology** *see also* glacial geology
- geomorphology—fluvial features**
meanders: Mean flow structure in meanders of the Squamish River, British Columbia (Hickin, E. J.) 11: 1833-1849
- geomorphology—mass movements**
landslides: The Rubble Creek landslide, southwestern British Columbia (Moore, D. P., *et al.*) 7: 1039-1052
rock glaciers: Distribution and characteristics of rock glaciers in the southern part of Jasper National Park, Alberta (Luckman, B. H., *et al.*) 4: 540-550
- geomorphology—shore features**
beach ridges: Postglacial tilting of Akpatok Island, Northwest Territories (Loeken, O. H.) 10: 1547-1553
cusate forelands: The geomorphology and origin of Point Pelee, southwestern Ontario (Trenhaile, A. S., *et al.*) 6: 963-970
- geomorphology—solution features**
caves: The development of limestone cave systems in the dimensions of length and depth (Ford, D. C., *et al.*) 11: 1783-1798
stalagmites: A thermoluminescence dating study of some Quaternary calcite; potential and problems (Wintle, A. G.) 12: 1977-1986
- geophysical methods—electrical methods**
resistivity: Frequency spectrum of the electrical properties of seawater-saturated ocean crust and oceanic island basalts (Drury, M. J.) 9: 1489-1495
- geophysical methods—magnetotelluric methods**
applications: Permafrost mapping by audiofrequency magnetotellurics (Koziar, A., *et al.*) 10: 1539-1546
- geophysical methods—methods**
interpretation: Three statistical tests for "goodness of fit" (Miller, H. G.) 1: 171-173
- geophysical methods—radioactivity methods**
interpretation: Examples of the variability of disequilibrium and the emanation factor in some uraniferous materials (Levinson, A. A., *et al.*) 11: 1867-1871
- geophysical methods—seismic methods**
ocean bottom seismographs: Multiple water reflections recorded at the ocean bottom (McMechan, G. A.) 1: 78-85
techniques: The feasibility of delineating non-layered anomalous velocity zones by a combination of fan shooting and least-squares analysis (Waboso, C. E., *et al.*) 10: 1642-1652
- geophysical surveys** *see* acoustical surveys under geophysical surveys under Nova Scotia; *see* gravity surveys under geophysical surveys under Maritime Provinces; *see* magnetotelluric surveys under geophysical surveys under Canadian Shield; Northwest Territories; *see* seismic surveys under geophysical surveys under Atlantic Ocean; Melanesia; Ontario; Pacific Ocean; *see* surveys under geophysical surveys under Atlantic Ocean; *see also* geophysical methods
- geophysical methods—seismic methods**
interpretation: A sub-critical seismic crustal reflection survey over the Aulneau Batholith, Kenora region, Ontario (Green, A. G., *et al.*) 2: 301-315
- geophysics** *see also* deformation
- geophysics—methods**
statistical methods: Three statistical tests for "goodness of fit" (Miller, H. G.) 1: 171-173
- geophysics—theoretical studies**
mantle: On shear heating as an explanation for lithosphere-mantle decoupling (Spanos, T. J. T., *et al.*) 8: 1284-1291
- geosynclines** *see also* orogeny
- geosynclines—processes**
sedimentation: The petrochemistry and geologic implications of conglomerates from Archaean geosynclinal piles of southern India (Naqvi, S. M., *et al.*) 7: 1085-1100
- glacial geology** *see also* geomorphology
- glacial geology—glacial features**
glacial lakes: Sedimentation processes and patterns in a glacier-fed lake with low sediment input (Smith, N. D.) 5: 741-756
moraines: Holocene and latest Pleistocene cirque glaciations in the Shuswap Highland, British Columbia (Duford, J. M., *et al.*) 6: 865-873
- glacial geology—glaciation**
deglaciation: Postglacial tilting of Akpatok Island, Northwest Territories (Loeken, O. H.) 10: 1547-1553
deposition: Late Pleistocene stratigraphy of South-central British Columbia (Fulton, R. J., *et al.*) 6: 971-980
 — Late Quaternary geological history of Mahone Bay, Nova Scotia (Barnes, N. E., *et al.*) 4: 586-593
 — Mass flow deposits in a Quaternary succession near Ottawa, Canada; diagnostic criteria for subaqueous outwash (Gadd, N. R., *et al.*) 2: 327-330
effects: Shear phenomena in ice-thrust gravels, central Alberta (Babcock, E. A., *et al.*) 2: 277-283

- extent*: A reconnaissance survey of late Quaternary sea levels, Bella Bella/Bella Coola region, central British Columbia coast (Andrews, J. T., *et al.*) 3: 341-350
- The effect of Pleistocene climatic variations on the geothermal regime in Ontario; a reassessment (Allis, R. G.) 11: 1875-1879
- The glacial geology of northeastern Ellesmere Island, N.W.T., Canada (England, J.) 4: 603-617
- glacial geology—glaciers**
- observations*: Wenkchemna Glacier; ablation complex and rock glacier in the Canadian Rocky Mountains (Gardner, J.) 7: 1200-1204
- rock glaciers*: Distribution and characteristics of rock glaciers in the southern part of Jasper National Park, Alberta (Luckman, B. H., *et al.*) 4: 540-550
- Rock glacier types and their drainage systems, Grizzly Creek, Yukon Territory (Johnson, P. G.) 9: 1496-1507
- glacial geology—instruments**
- drills*: Hot water drilling in a cold glacier (Napoleoni, J. G. P., *et al.*) 2: 316-321
- glacial geology—periglacial features**
- frost mounds*: Frost mounds at Bear Rock, near Fort Norman, Northwest Territories, 1975-1976 (van Everdingen, R. O.) 2: 263-276
- patterned ground*: Nature and genesis of mud-boils, central Keewatin, Canada (Shilts, W. W.) 7: 1053-1068
- permafrost*: The distribution and thickness of icy permafrost in northeastern British Columbia (Crampton, C. B.) 4: 655-659
- pingos*: Sub-pingo water lenses, Tuktoyaktuk Peninsula, Northwest Territories (Mackay, J. R.) 8: 1219-1227
- glaciation** *see under* glacial geology
- glaciers** *see under* glacial geology
- gold** *see also* under economic geology *under* Northwest Territories
- graded bedding** *see under* turbidity current structures *under* sedimentary structures
- gravel** *see also* under clastic sediments *under* sediments
- gravity surveys** *see under* geophysical surveys *under* Maritime Provinces
- Great Lakes—geochronology**
- Holocene*: The determination of sedimentation rates in Lake Ontario using the ^{210}Pb dating method (Farmer, J. G.) 3: 431-437
- Great Lakes—hydrogeology**
- hydrology*: Sediment and nutrient loadings to Lake Ontario; methodological arguments (Church, M., *et al.*) 4: 668-671
- Great Lakes—stratigraphy**
- changes of level*: Radiocarbon dating of Nipissing Great Lakes events near Sault Ste. Marie, Ontario (Cowan, W. R.) 12: 2026-2030
- Great Lakes region—sedimentary petrology**
- reefs*: Paleoeological succession leading to a Late Ordovician biostrome on Manitoulin Island, Ontario (Copper, P., *et al.*) 12: 1987-2001
- Greenland—geochronology**
- Archean*: Dating of igneous and metamorphic events in the Fiskenaeset region of southern West Greenland (Pidgeon, R. T., *et al.*) 12: 2021-2025
- Proterozoic*: A 1950 ± 60 Ma Rb-Sr whole-rock isochron age from two Kangamiut dykes and the timing of the Nagssugtoqidian (Hudsonian) Orogeny in West Greenland (Kalsbeek, F., *et al.*) 7: 1122-1128
- Greenland—sedimentary petrology**
- sediments*: Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins (Higgs, R.) 11: 1850-1860
- ground water** *see also* hydrology
- ground water—geochemistry**
- techniques*: A coring and squeezing technique for the detailed study of subsurface water chemistry (Patterson, R. J., *et al.*) 1: 162-169
- ground water—levels**
- karst*: The development of limestone cave systems in the dimensions of length and depth (Ford, D. C., *et al.*) 11: 1783-1798
- ground water—surveys**
- Alberta*: Groundwater temperatures in the Athabasca oil sands area, Alberta (Hackbarth, D. A.) 11: 1689-1700
- Northwest Territories*: Sub-pingo water lenses, Tuktoyaktuk Peninsula, Northwest Territories (Mackay, J. R.) 8: 1219-1227
- Ontario*: Response of an aquifer near Ottawa to tidal forcing and the Alaskan earthquake of 1964 (Bower, D. R., *et al.*) 3: 331-340
- heat flow** *see also* under geophysical surveys *under* Alberta; British Columbia; *see also* under tectonophysics *under* Canadian Shield
- Holocene** *see also* under geochronology *under* Alaska; British Columbia; Great Lakes; Ontario

hydrogeology *see also* ground water; hydrology

hydrology *see also* ground water

hydrology—surveys

Alberta: Sedimentation processes and patterns in a glacier-fed lake with low sediment input (Smith, N. D.) 5: 741-756

Great Lakes: The determination of sedimentation rates in Lake Ontario using the ^{210}Pb dating method (Farmer, J. G.) 3: 431-437

Ontario: Sediment and nutrient loadings to Lake Ontario; methodological arguments (Church, M., *et al.*) 4: 668-671

Squamish River: Mean flow structure in meanders of the Squamish River, British Columbia (Hickin, E. J.) 11: 1833-1849

Wenchemna: Wenchemna Glacier; ablation complex and rock glacier in the Canadian Rocky Mountains (Gardner, J.) 7: 1200-1204

hydrology—techniques

sample preparation: A coring and squeezing technique for the detailed study of subsurface water chemistry (Patterson, R. J., *et al.*) 1: 162-169

hydrothermal alteration *see under* processes under metasomatism

ichnofossils—morphology

trails: A trace fossil preserving its producer (Trentonia shegiriiana) from the Trenton Limestone of the Quebec City area (Pickerill, R. K., *et al.*) 4: 659-664

ichnofossils—occurrence

burrows: Oldest known brachiopod burrow; the Lower Cambrian of Labrador (Pemberton, S. G., *et al.*) 8: 1385-1389

red beds: Triassic reptile tracks in the Lepreau Formation, southern New Brunswick, Canada (Sarjeant, W. A. S., *et al.*) 4: 594-602

ichnofossils—paleoecology

proglacial lakes: Trace fossils from late Pleistocene glacial lake sediments in southwestern Ontario, Canada (Gibbard, P. L., *et al.*) 12: 1967-1976

Idaho—petrology

lava: Mineralogy and petrology of Quaternary lavas from the Snake River plain, Idaho (Birkett, T. C., *et al.*) 5: 859-862

igneous rocks *see also* magmas; metamorphic rocks; metasomatism

igneous rocks—alkalic composition

distribution: Spatial relations of andesitic and alkaline provinces in Mexico and Central America (Robin, C., *et al.*) 10: 1633-1641

igneous rocks—andesite-rhyolite family

rhyolite: Anomalous Li in Keweenaw rhyolites, Ontario (Jackson, M. R., *et al.*) 12: 2031-2033

igneous rocks—basalt family

diabase: Crystal growth and nucleation in flash-injected diabase dikes (Gray, N. H.) 12: 1904-1923

— Devonian alkalic basalt dikes of northeastern Newfoundland; evidence of a tensional environment (Jayasinghe, N. R.) 5: 848-853

electrical properties: Frequency spectrum of the electrical properties of seawater-saturated ocean crust and oceanic island basalts (Drury, M. J.) 9: 1489-1495

geochemistry: Mineralogy and petrology of Quaternary lavas from the Snake River plain, Idaho (Birkett, T. C., *et al.*) 5: 859-862

magnetic properties: Rock and paleomagnetic evidence for the existence and nature of a Cayman Trough spreading center (Clark, M. J., *et al.*) 12: 1930-1940

petrology: Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data (MacLean, B., *et al.*) 5: 773-780

igneous rocks—diorite family

trondhjemite: Petrology of high-pressure trondhjemitic layers associated with eclogites and amphibolites in the leptyno-amphibolitic complexes of the Central Massif, France (Nicollet, C., *et al.*) 5: 696-707

igneous rocks—gabbro family

anorthosite: Elsonian magmatism in Labrador; age, characteristics and tectonic setting (Emslie, R. F.) 3: 438-453

igneous rocks—geochemistry

isotopes: The oxygen isotope composition of the surface crystalline rocks of the Canadian Shield (Shieh, Y. N., *et al.*) 11: 1773-1782

trace elements: Anorthosite and associated plutons, southern Nain Complex, Labrador (Wiebe, R. A.) 8: 1326-1340

igneous rocks—mafic composition

trace elements: The late Precambrian mafic dikes of the southern Tobacco Root Mountains, Montana; geochemistry, Rb-Sr geochronology and relationship to Belt tectonics (Wooden, J. L., *et al.*) 4: 467-479

igneous rocks—petrology

complexes: The petrology of the Tilting Harbour igneous complex, Fogo Island, Newfoundland (Cawthorn, R. G.) 4: 526-539

igneous rocks—plutonic rocks

genesis: Magma mixing in the Flavrian Pluton, Noranda area, Quebec
(Goldie, R.) 1: 132-144

geochemistry: Geochemistry of Paleozoic granitoid plutons from contrasting tectonic zones of Northeast Newfoundland

(Strong, D. F., *et al.*) 1: 145-156

textures: The Barnum Lake Pluton, Thunder Bay, Ontario

(Schwerdtner, W. M.) 5: 863-864

igneous rocks—pyroclastics and glasses

composition: Compositional variability of Glacier Peak tephra and its stratigraphic significance

(Westgate, J. A., *et al.*) 10: 1554-1567

tuff: Petrography and mechanism of eruption of the Archean Dalember Tuff, Rouyn-Noranda, Quebec, Canada

(Dimroth, E., *et al.*) 11: 1712-1723

igneous rocks—ultramafic family

composition: Oxide minerals in the Turnagain ultramafic complex, northwestern British Columbia

(Clark, T.) 12: 1893-1903

komatiite: Emplacement of Archean peridotitic komatiites in La Motte Township, Quebec

(Lajoie, J., *et al.*) 4: 672-677

— Iron-rich basaltic komatiites in the early Precambrian Vermilion District

(Arndt, N. T., *et al.*) 5: 856-859

ophiolite: The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle

(Kidd, W. S. F., *et al.*) 5: 781-804

igneous rocks—volcanic rocks

age: Isotopic studies of ore-leads of the Circum-Kisseynew volcanic belt of Manitoba and Saskatchewan

(Sangster, D. F.) 7: 1112-1121

geochemistry: Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada

(Helmstaedt, H., *et al.*) 10: 1680-1683

— The geochemistry of altered volcanic rocks at Matagami, Quebec; a geothermal model for massive sulphide genesis

(MacFeehan, P. J.) 4: 551-570

shackanite: Shackanite and related analcite-bearing lavas in British Columbia

(Church, B. N.) 10: 1669-1672

inclusions—xenoliths

spinel lherzolite: Lherzolite nodules from a Pleistocene cinder cone in central Yukon

(Sinclair, P. D., *et al.*) 2: 220-226

India—geochronology

Paleozoic: Fission track etching and annealing phenomenon in phlogopite and their applications

(Parshad, R., *et al.*) 12: 1924-1929

India—petrology

metamorphic rocks: The petrochemistry and geologic implications of conglomerates from Archean geosynclinal piles of southern India

(Naqvi, S. M., *et al.*) 7: 1085-1100

intrusions—age

paleomagnetism: Paleomagnetism and age of the Aston dykes and Savage Point sills of the Boothia Uplift, Canada

(Jones, D. L., *et al.*) 10: 1605-1612

intrusions—batholiths

contact: Megalineament in southeastern Alaska marks southwest edge of Coast Range batholithic complex

(Brew, D. A., *et al.*) 11: 1763-1772

structure: A sub-critical seismic crustal reflection survey over the Aulneau Batholith, Kenora region, Ontario

(Green, A. G., *et al.*) 2: 301-315

intrusions—composition

alkalic composition: Spatial relations of andesitic and alkaline provinces in Mexico and Central America

(Robin, C., *et al.*) 10: 1633-1641

intrusions—dikes

age: A 1950 ± 60 Ma Rb-Sr whole-rock isochron age from two Kangamiut dykes and the timing of the Nagssugtoqidian (Hudsonian) Orogeny in West Greenland

(Kalsbeek, F., *et al.*) 7: 1122-1128

— $^{40}\text{Ar}/^{39}\text{Ar}$ dating of dikes from the Frontenac Axis and implications for Grenville paleomagnetism

(Reynolds, P. H., *et al.*) 11: 1826-1832

geochemistry: Devonian alkalic basalt dikes of northeastern Newfoundland; evidence of a tensional environment

(Jayasinghe, N. R.) 5: 848-853

— The late Precambrian mafic dikes of the southern Tobacco Root Mountains, Montana; geochemistry, Rb-Sr geochronology and relationship to Belt tectonics

(Wooden, J. L., *et al.*) 4: 467-479

orientation: The structural relationship between Archean granite-greenstone terrains and late Archean mafic dikes

(Halls, H. C.) 10: 1665-1668

textures: Crystal growth and nucleation in flash-injected diabase dikes

(Gray, N. H.) 12: 1904-1923

intrusions—plutons

age: Elsonian magmatism in Labrador; age, characteristics and tectonic setting

(Emslie, R. F.) 3: 438-453

— Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories

(Archibald, D. A., *et al.*) 7: 1205-1207

— Rb-Sr ages of silicic igneous rocks and deformation, Burlington Peninsula, Newfoundland (Pringle, I. R.) 2: 293-300

genesis: Magma mixing in the Flavrian Pluton, Noranda area, Quebec

(Goldie, R.) 1: 132-144

geochemistry: Geochemistry of Paleozoic granitoid plutons from contrasting tectonic zones of Northeast Newfoundland

(Strong, D. F., *et al.*) 1: 145-156

petrology: Anorthosite and associated plutons, southern Nain Complex, Labrador

(Wiebe, R. A.) 8: 1326-1340

structure: The Barnum Lake Pluton, Thunder Bay, Ontario

(Schwerdtner, W. M.) 5: 863-864

Invertebrata *see also* Annelida; Arthropoda; Brachiopoda; Coelenterata; Echinodermata; foraminifera; Ichnofossils; Mollusca; Porifera; worms

Invertebrata—paleoecology

paleoclimatology: Freshwater shelled invertebrate indicators of paleoclimate in northwestern Canada during late glacial times

(Mackay, J. R., *et al.*) 3: 461-463

isotope dating *see* absolute age

isotopes *see also* absolute age; geochronology

isotopes—analysis

radioactive isotopes: Examples of the variability of disequilibrium and the emanation factor in some uraniferous materials

(Levinson, A. A., *et al.*) 11: 1867-1871

isotopes—argon

Ar-40/Ar-39: Removal of atmospheric argon contamination and the use and misuse of the K-Ar isochron method

(Armstrong, R. L., *et al.*) 2: 325-327

isotopes—lead

Pb-210: The determination of sedimentation rates in Lake Ontario using the ²¹⁰Pb dating method

(Farmer, J. G.) 3: 431-437

isotopes—oxygen

O-18/O-16: The effect of Pleistocene climatic variations on the geothermal regime in Ontario; a reassessment

(Allis, R. G.) 11: 1875-1879

— The oxygen isotope composition of the surface crystalline rocks of the Canadian Shield (Shieh, Y. N., *et al.*) 11: 1773-1782

isotopes—sulfur

S-34/S-32: A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia

(Morrow, D. W., *et al.*) 9: 1391-1406

Jurassic *see also* under stratigraphy under British Columbia

Labrador—paleontology

ichnofossils: Oldest known brachiopod burrow; the Lower Cambrian of Labrador

(Pemberton, S. G., *et al.*) 8: 1385-1389

Labrador—petrology

igneous rocks: Anorthosite and associated plutons, southern Nain Complex, Labrador

(Wiebe, R. A.) 8: 1326-1340

intrusions: Elsonian magmatism in Labrador; age, characteristics and tectonic setting

(Emslie, R. F.) 3: 438-453

Labrador—sedimentary petrology

sediments: Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins

(Higgs, R.) 11: 1850-1860

Labrador—stratigraphy

Proterozoic: A major Aphebian-Helikian unconformity within the Central Mineral Belt of Labrador; definition of new groups and metallogenic implications

(Smyth, W. R., *et al.*) 12: 1954-1966

— Paleomagnetic results from the Nain Anorthosite and their tectonic implications (Murthy, G. S.) 4: 516-525

— The stratigraphy and depositional environment of the Aphebian Snyder Group, Labrador

(Speer, J. A.) 1: 52-68

landslides *see* under mass movements under geomorphology

lava *see also* igneous rocks; magmas

lava—composition

alkalic composition: Spatial relations of andesitic and alkaline provinces in Mexico and Central America

(Robin, C., *et al.*) 10: 1633-1641

chemical composition: Mineralogy and petrology of Quaternary lavas from the Snake River plain, Idaho

(Birkett, T. C., *et al.*) 5: 859-862

lava—geochemistry

pillow lava: The sulfur content of Archean volcanic rocks and a comparison with ocean floor basalts

(Naldrett, A. J., *et al.*) 5: 715-728

- trace elements*: The geochemistry of altered volcanic rocks at Matagami, Quebec; a geothermal model for massive sulphide genesis (MacFeehan, P. J.) 4: 551-570
- lava—properties**
magnetic properties: Rock and paleomagnetic evidence for the existence and nature of a Cayman Trough spreading center (Clark, M. J., *et al.*) 12: 1930-1940
 — Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data (MacLean, B., *et al.*) 5: 773-780
- lava—structure**
pillow lava: Structure and organization of Archean subaqueous basalt flows, Rouyn-Noranda area, Quebec, Canada (Dimroth, E., *et al.*) 6: 902-918
- lava—textures**
shackanite: Shackanite and related analcite-bearing lavas in British Columbia (Church, B. N.) 10: 1669-1672
- lead—abundance**
sediments: Geochemistry of zinc, copper and lead in the sediments of the estuary and Gulf of St. Lawrence (Loring, D. H.) 5: 757-772
- lead— isotopes**
Pb-210: The determination of sedimentation rates in Lake Ontario using the ²¹⁰Pb dating method (Farmer, J. G.) 3: 431-437
- limestone** *see also* under carbonate rocks under sedimentary rocks
- lineation** *see also* foliation; structural analysis
- lithium—abundance**
rhyolite: Anomalous Li in Keweenaw rhyolites, Ontario (Jackson, M. R., *et al.*) 12: 2031-2033
- magmas** *see also* igneous rocks; intrusions; lava
- magmas—composition**
alkalic composition: Spatial relations of andesitic and alkaline provinces in Mexico and Central America (Robin, C., *et al.*) 10: 1633-1641
plutons: Elsonian magmatism in Labrador; age, characteristics and tectonic setting (Emslie, R. F.) 3: 438-453
- magmas—differentiation**
geochemistry: Oxide minerals in the Turnagain ultramafic complex, northwestern British Columbia (Clark, T.) 12: 1893-1903
mixing: Magma mixing in the Flavrian Pluton, Noranda area, Quebec (Goldie, R.) 1: 132-144
- tholeiitic composition*: The petrology of the Tilt- ing Harbour igneous complex, Fogo Island, Newfoundland (Cawthorn, R. G.) 4: 526-539
- trachytic composition*: The petrogenesis and origin of the analcime in the volcanic rocks of the Crowsnest Formation, Alberta (Ferguson, L. J., *et al.*) 1: 69-77
- magmas—geochemistry**
plutonic rocks: Anorthosite and associated plutons, southern Nain Complex, Labrador (Wiebe, R. A.) 8: 1326-1340
- magmas—viscosity**
tuff: Petrography and mechanism of eruption of the Archean Dalember Tuff, Rouyn-Noranda, Quebec, Canada (Dimroth, E., *et al.*) 11: 1712-1723
- magnetic field** *see under* Earth
- magnetotelluric surveys** *see under* geophysical surveys under Canadian Shield; Northwest Territories
- Maine—stratigraphy**
Paleozoic: Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine (Ruitenber, A. A., *et al.*) 1: 22-32
- Maine—structural geology**
tectonics: Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine (Ruitenber, A. A., *et al.*) 1: 22-32
- Maine—tectonophysics**
plate tectonics: Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine (Ruitenber, A. A., *et al.*) 1: 22-32
- Mammalia—Primates**
Paleocene: Paleocene primates from western Canada (Krause, D. W.) 8: 1250-1271
- Mammalia—Proboscidea**
Pleistocene: A tooth of *Mammuthus primigenius* from Chestermere Lake near Calgary, Alberta, and the distribution of mammoths in southwestern Canada (Harrington, C. R., *et al.*) 8: 1272-1283
- Mammalia—Rodentia**
Eocene: Rodents of the Swift Current Creek local fauna (Eocene; Uintan) of Saskatchewan (Storer, J. E.) 10: 1673-1674

Mammalia—Ungulata

Pleistocene: Late Pleistocene Camelops from the Gallelli Pit, Calgary, Alberta; morphology and geologic setting
(Wilson, M., *et al.*) 5: 729-740

man, fossil *see* fossil man

Manitoba—geochronology

Precambrian: Geological and geochronological relationships of the Thompson nickel belt, Manitoba
(Church, W. R., *et al.*) 8: 1381-1384

Proterozoic: Isotopic studies of ore-leads of the Circum-Kisseynew volcanic belt of Manitoba and Saskatchewan
(Sangster, D. F.) 7: 1112-1121

Manitoba—structural geology

tectonics: Diapiric structures and regional compression in an Archean greenstone belt, Island Lake, Manitoba

(Fyson, W. K., *et al.*) 11: 1817-1825

— Tectonic evolution of two greenstone belts from the Superior Province in Manitoba
(Park, R. G., *et al.*) 11: 1808-1816

mantle *see also* under seismology under Northwest Territories

mantle—processes

theoretical studies: On shear heating as an explanation for lithosphere-mantle decoupling
(Spanos, T. J. T., *et al.*) 8: 1284-1291

maps—stratigraphy

continental drift: Plate tectonics in the Phanerozoic
(Kanasewich, E. R., *et al.*) 6: 919-955

Maritime Provinces—environmental geology

pollution: Computer simulation and sedimentological implications of burrowing by *Axiu serratus*
(Risk, M. J., *et al.*) 8: 1370-1374

Maritime Provinces—geophysical surveys

gravity surveys: Tidal loading in Nova Scotia; results from improved ocean tide models
(Beaumont, C., *et al.*) 6: 981-993

mass movements *see* under geomorphology

Massachusetts—stratigraphy

Ordovician: The structural and metamorphic history of the Taconic unconformity in western Massachusetts
(Uzuakpunwa, A. B., *et al.*) 12: 1941-1953

mathematical geology *see also* automatic data processing

mathematical geology—methods

statistical methods: Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes
(Cruden, D., *et al.*) 10: 1598-1604

— Three statistical tests for "goodness of fit"
(Miller, H. G.) 1: 171-173

Mauritania—stratigraphy

Paleozoic: Paleomagnetism of some late Precambrian and lower Paleozoic sediments from l'Adrar de Mauritanie, West Africa
(Morris, W. A., *et al.*) 2: 253-262

Precambrian: Paleomagnetism of some late Precambrian and lower Paleozoic sediments from l'Adrar de Mauritanie, West Africa
(Morris, W. A., *et al.*) 2: 253-262

Melanesia *see also* New Hebrides

Melanesia—geophysical surveys

seismic surveys: The troughs at the rear of the New Hebrides island arc; possible mechanisms of formation
(Dubois, J., *et al.*) 3: 351-360

metals *see also* lead; lithium; *see also* under economic geology under Quebec

metals—abundance

water: Geochemistry of suspended particulate matter in the Saguenay Fjord
(Sundby, B., *et al.*) 6: 1002-1011

metamorphic rocks *see also* igneous rocks; metamorphism; metasomatism

metamorphic rocks—age

absolute age: A slice of basement in the western margin of the Appalachian Orogen, Saint-Malachie, Quebec

(Vallieres, A., *et al.*) 8: 1242-1249

— $^{40}\text{Ar}/^{39}\text{Ar}$ incremental-release ages of hornblende and biotite from Grenville basement rocks within the Indian Head Range Complex, Southwest Newfoundland; their bearing on late Proterozoic-early Paleozoic thermal history
(Dallmeyer, R. D.) 8: 1374-1379

metamorphic rocks—facies

granulite facies: Petrology of high-pressure trondhjemitic layers associated with eclogites and amphibolites in the leptyno-amphibolitic complexes of the Central Massif, France
(Nicollet, C., *et al.*) 5: 696-707

metamorphic rocks—geochemistry

isotopes: The oxygen isotope composition of the surface crystalline rocks of the Canadian Shield
(Shieh, Y. N., *et al.*) 11: 1773-1782

trace elements: Petrogenesis of spilite and keratophyre from a Permian and Triassic volcanic arc terrane, eastern Oregon and western Idaho, U.S.A.

(Vallier, T. L., *et al.*) 8: 1356-1369

metamorphic rocks—gneisses

age: Dating of igneous and metamorphic events in the Fiskenaeset region of southern West Greenland

(Pidgeon, R. T., *et al.*) 12: 2021-2025

complexes: The Gander Lake and Davidsville groups of northeastern Newfoundland; a re-examination

(Pajari, G. E., *et al.*) 5: 708-714

fabric: Geological and geochronological relationships of the Thompson nickel belt, Manitoba

(Church, W. R., *et al.*) 8: 1381-1384

metamorphic rocks—lithostratigraphy

unconformities: A major Aphebian-Helikian unconformity within the Central Mineral Belt of Labrador; definition of new groups and metallogenic implications

(Smyth, W. R., *et al.*) 12: 1954-1966

metamorphic rocks—metagneous rocks

metagabbro: A re-investigation of the orientation of quartz in a shear zone from Castell Odair, Scotland

(Starkey, J., *et al.*) 4: 664-667

metamorphic rocks—metasedimentary rocks

environmental analysis: The anatomy and interpretation of an Archean volcanoclastic sequence, Noranda region, Quebec

(Tasse, N., *et al.*) 6: 874-888

iron formations: Mineralogy and petrology of the Sokoman Iron Formation near Ardua Lake, Quebec

(Leshner, C. M.) 4: 480-500

lithofacies: A critical appraisal of Archean basin-craton complexes

(Walker, R. G.) 7: 1213-1218

lithostratigraphy: Determination of stratigraphic thickness of strained units

(Schwerdtner, W. M.) 8: 1379-1380

— Stratigraphy, facies changes, and correlations in the northern Selkirk Mountains, southern Canadian Cordillera

(Brown, R. L., *et al.*) 7: 1129-1140

— The stratigraphy and depositional environment of the Aphebian Snyder Group, Labrador

(Speer, J. A.) 1: 52-68

— The structural and metamorphic history of the Taconic unconformity in western Massachusetts

(Uzuakpunwa, A. B., *et al.*) 12: 1941-1953

petrofabrics: Early recumbent folds in the northeastern part of the northern Labrador Trough

(Hynes, A.) 2: 245-252

provenance: The petrochemistry and geologic implications of conglomerates from Archean geosynclinal piles of southern India

(Naqvi, S. M., *et al.*) 7: 1085-1100

textures: Zoned epidote nodules from sedimentary rocks of the Eastport Formation, Southwest New Brunswick

(Percival, J. A., *et al.*) 7: 1194-1200

metamorphic rocks—metavolcanic rocks

genesis: The petrogenesis and origin of the analcime in the volcanic rocks of the Crowsnest Formation, Alberta

(Ferguson, L. J., *et al.*) 1: 69-77

geochemistry: Anomalous Li in Keweenaw rhyolites, Ontario

(Jackson, M. R., *et al.*) 12: 2031-2033

— Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada

(Whitehead, R. E. S., *et al.*) 2: 207-219

— The sulfur content of Archean volcanic rocks and a comparison with ocean floor basalts

(Naldrett, A. J., *et al.*) 5: 715-728

trace elements: Major and minor element litho-geochemical anomalies surrounding the Louvem copper deposit, Val d'Or, Quebec

(Spitz, G., *et al.*) 7: 1161-1169

metamorphic rocks—textures

pelitic texture: Metamorphism, structure and stratigraphy in the southern Park Ranges, British Columbia

(Craw, D.) 1: 86-98

petrofabrics: A demonstration of the interdependence of the degree of quartz preferred orientation and the quartz content of deformed rocks

(Starkey, J., *et al.*) 5: 841-847

metamorphism—age

absolute age: $^{40}\text{Ar}/^{39}\text{Ar}$ incremental-release ages of hornblende and biotite from Grenville basement rocks within the Indian Head Range Complex, Southwest Newfoundland; their bearing on late Proterozoic-early Paleozoic thermal history

(Dallmeyer, R. D.) 8: 1374-1379

metamorphism—grade

high-grade metamorphism: Early recumbent folds in the northeastern part of the northern Labrador Trough

(Hynes, A.) 2: 245-252

low-grade metamorphism: Mineralogy and petrology of the Sokoman Iron Formation near Ardua Lake, Quebec

(Leshner, C. M.) 4: 480-500

— Zoned epidote nodules from sedimentary rocks of the Eastport Formation, Southwest

- New Brunswick
(Percival, J. A., *et al.*) 7: 1194-1200
- metamorphism—prograde metamorphism**
P-T conditions: Metamorphism, structure and stratigraphy in the southern Park Ranges, British Columbia
(Craw, D.) 1: 86-98
— Metamorphism, structure, and stratigraphy in the southern Park Ranges, British Columbia
(Thompson, P. H., *et al.*) 12: 2034-2038
- metamorphism—regional metamorphism**
mineral assemblages: Petrogenesis of spilite and keratophyre from a Permian and Triassic volcanic arc terrane, eastern Oregon and western Idaho, U.S.A.
(Vallier, T. L., *et al.*) 8: 1356-1369
- metamorphism—retrograde metamorphism**
age: Dating of igneous and metamorphic events in the Fiskenaeset region of southern West Greenland
(Pidgeon, R. T., *et al.*) 12: 2021-2025
P-T conditions: Petrology of high-pressure trondhjemitic layers associated with eclogites and amphibolites in the leptyno-amphibolitic complexes of the Central Massif, France
(Nicollet, C., *et al.*) 5: 696-707
- metasomatism—age**
Cretaceous: The age of metasomatic anhydrite in Mississippian reservoir carbonates, southeastern Saskatchewan
(Kendall, A. C., *et al.*) 3: 424-430
- metasomatism—processes**
hydrothermal alteration: Major and minor element lithogeochemical anomalies surrounding the Louvem copper deposit, Val d'Or, Quebec
(Spitz, G., *et al.*) 7: 1161-1169
— The geochemistry of altered volcanic rocks at Matagami, Quebec; a geothermal model for massive sulphide genesis
(MacFeehan, P. J.) 4: 551-570
- Mexico—petrology**
igneous rocks: Spatial relations of andesitic and alkaline provinces in Mexico and Central America
(Robin, C., *et al.*) 10: 1633-1641
- mineral deposits, genesis—barite**
environment: A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia
(Morrow, D. W., *et al.*) 9: 1391-1406
- mineral deposits, genesis—controls**
stratigraphic controls: Cornwallis lead-zinc district; mississippi valley-type deposits controlled by stratigraphy and tectonics
(Callahan, W. H., *et al.*) 3: 459-460
- structural controls:* Vein geometry and hydrostatics during Yellowknife mineralisation
(Kerrich, R., *et al.*) 10: 1653-1660
- mineral deposits, genesis—polymetallic ores**
age: Isotopic studies of ore-leads of the Circum-Kisseynew volcanic belt of Manitoba and Saskatchewan
(Sangster, D. F.) 7: 1112-1121
- mineral deposits, genesis—processes**
hydrothermal processes: Major and minor element lithogeochemical anomalies surrounding the Louvem copper deposit, Val d'Or, Quebec
(Spitz, G., *et al.*) 7: 1161-1169
— The geochemistry of altered volcanic rocks at Matagami, Quebec; a geothermal model for massive sulphide genesis
(MacFeehan, P. J.) 4: 551-570
sedimentary processes: Carbonate-hosted lead-zinc occurrences in northeastern British Columbia with emphasis on the Robb Lake deposit
(Macqueen, R. W., *et al.*) 11: 1737-1762
volcanism: Alteration and ore-forming processes at Mattagami Lake Mine, Quebec
(Roberts, R. G., *et al.*) 1: 1-21
- mineral deposits, genesis—tungsten**
age: Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories
(Archibald, D. A., *et al.*) 7: 1205-1207
- mineral exploration—geochemical methods**
dispersion patterns: Major and minor element lithogeochemical anomalies surrounding the Louvem copper deposit, Val d'Or, Quebec
(Spitz, G., *et al.*) 7: 1161-1169
- mineral exploration—geophysical methods**
radioactivity methods: Examples of the variability of disequilibrium and the emanation factor in some uraniferous materials
(Levinson, A. A., *et al.*) 11: 1867-1871
seismic methods: The feasibility of delineating non-layered anomalous velocity zones by a combination of fan shooting and least-squares analysis
(Waboso, C. E., *et al.*) 10: 1642-1652
- mineral prospecting** *see* mineral exploration
- minerals** *see also* crystal chemistry; crystal growth
- minerals—carbonates**
aragonite: Transformation of aragonite to calcite in a marine gasteropod
(Wardlaw, N., *et al.*) 11: 1861-1866
- minerals—crystal growth**
mechanism: Crystal growth and nucleation in flash-injected diabase dikes
(Gray, N. H.) 12: 1904-1923

minerals—framework silicates

analcime: Shackanite and related analcite-bearing lavas in British Columbia

(Church, B. N.) 10: 1669-1672

— The petrogenesis and origin of the analcime in the volcanic rocks of the Crowsnest Formation, Alberta

(Ferguson, L. J., *et al.*) 1: 69-77

minerals—orthosilicates, epidote group

epidote: Zoned epidote nodules from sedimentary rocks of the Eastport Formation, Southwest New Brunswick

(Percival, J. A., *et al.*) 7: 1194-1200

minerals—oxides

occurrence: Oxide minerals in the Turnagain ultramafic complex, northwestern British Columbia

(Clark, T.) 12: 1893-1903

minerals—sulfides

pyrite: Framboids in Champlain Sea sediments (Haynes, J., *et al.*) 3: 464-465

pyrrhotite: Sulfide fabrics in some nickel sulfide ores from Kambalda, Western Australia

(Ostwald, J., *et al.*) 4: 501-515

Minnesota—petrology

igneous rocks: Iron-rich basaltic komatiites in the early Precambrian Vermilion District

(Arndt, N. T., *et al.*) 5: 856-859

Mollusca—biostratigraphy

zoning: Revisions to the stratigraphy and biochronology of the Upper Cretaceous Nanaimo Group, British Columbia and Washington State

(Ward, P. D.) 3: 405-423

Mollusca—Cephalopoda

Ordovician: A coiled nautiloid preserved in life orientation from the Middle Ordovician of Ontario

(Collins, D.) 10: 1661-1664

Mollusca—ecology

shallow-water environment: Foraminifera-mollusc associations in eastern Chaleur Bay

(Schafer, C. T., *et al.*) 6: 889-901

Mollusca—Gastropoda

Devonian: Lower Devonian Gastropoda from the Canadian Arctic Islands

(Rohr, D. M., *et al.*) 8: 1228-1241

Pleistocene: Asian freshwater mollusks from Pleistocene deposits in the Old Crow Basin, Yukon Territory

(Clarke, A. H., *et al.*) 1: 45-51

— Transformation of aragonite to calcite in a marine gasteropod

(Wardlaw, N., *et al.*) 11: 1861-1866

Montana—geochronology

Precambrian: The late Precambrian mafic dikes of the southern Tobacco Root Mountains, Montana; geochemistry, Rb-Sr geochronology and relationship to Belt tectonics

(Wooden, J. L., *et al.*) 4: 467-479

mud volcanoes see also volcanology**neotectonics see also under structural geology under Alaska; North America; Yukon Territory****New Brunswick—geochemistry**

igneous rocks: Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada

(Helmstaedt, H., *et al.*) 10: 1680-1683

trace elements: Geochemistry of volcanic rocks from the Tetagouche Group, Bathurst, New Brunswick, Canada

(Whitehead, R. E. S., *et al.*) 2: 207-219

New Brunswick—paleontology

ecology: Foraminifera-mollusc associations in eastern Chaleur Bay

(Schafer, C. T., *et al.*) 6: 889-901

New Brunswick—petrology

metamorphism: Zoned epidote nodules from sedimentary rocks of the Eastport Formation, Southwest New Brunswick

(Percival, J. A., *et al.*) 7: 1194-1200

New Brunswick—stratigraphy

Paleozoic: Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine

(Ruitenbergh, A. A., *et al.*) 1: 22-32

Triassic: Triassic reptile tracks in the Lepreau Formation, southern New Brunswick, Canada

(Sarjeant, W. A. S., *et al.*) 4: 594-602

New Brunswick—structural geology

tectonics: Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine

(Ruitenbergh, A. A., *et al.*) 1: 22-32

New Brunswick—tectonophysics

plate tectonics: Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine

(Ruitenbergh, A. A., *et al.*) 1: 22-32

New England—stratigraphy

Cambrian: The structural and metamorphic history of the Taconic unconformity in western Massachusetts

(Uzuakpunwa, A. B., *et al.*) 12: 1941-1953

New Hebrides—tectonophysics

plate tectonics: The troughs at the rear of the New Hebrides island arc; possible mechanisms of formation

(Dubois, J., *et al.*) 3: 351-360

New Jersey—paleontology

Reptilia: An isolated ichthyosaur coracoid from the Maastrichtian of New Jersey

(McGowan, C.) 1: 169-171

Newfoundland—geochemistry

trace elements: Devonian alkalic basalt dikes of northeastern Newfoundland; evidence of a tensional environment

(Jayasinghe, N. R.) 5: 848-853

— The petrology of the Tilting Harbour igneous complex, Fogo Island, Newfoundland

(Cawthorn, R. G.) 4: 526-539

Newfoundland—geochronology

Paleozoic: Rb-Sr ages of silicic igneous rocks and deformation, Burlington Peninsula, Newfoundland

(Pringle, I. R.) 2: 293-300

— U-Pb ages of some crystalline rocks from the Burlington Peninsula, Newfoundland, and implications for the age of Fleur de Lys metamorphism

(Bell, K., *et al.*) 7: 1208-1212

Proterozoic: $^{40}\text{Ar}/^{39}\text{Ar}$ incremental-release ages of hornblende and biotite from Grenville basement rocks within the Indian Head Range Complex, Southwest Newfoundland; their bearing on late Proterozoic-early Paleozoic thermal history

(Dallmeyer, R. D.) 8: 1374-1379

Newfoundland—petrology

metamorphic rocks: The Gander Lake and Davidsville groups of northeastern Newfoundland; a re-examination

(Pajari, G. E., *et al.*) 5: 708-714

Newfoundland—seismology

crust: Teleseismic reflections and the Newfoundland lithosphere

(Stewart, I. C. F.) 2: 175-180

Newfoundland—stratigraphy

Carboniferous: Visean limestones from the Newfoundland shelf

(Jansa, L. F., *et al.*) 9: 1422-1436

Ordovician: The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle

(Kidd, W. S. F., *et al.*) 5: 781-804

Proterozoic: Aborted Proterozoic rifting in eastern Newfoundland

(Strong, D. F., *et al.*) 1: 117-131

Newfoundland—structural geology

tectonics: The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle

(Kidd, W. S. F., *et al.*) 5: 781-804

Newfoundland—tectonophysics

plate tectonics: Aborted Proterozoic rifting in eastern Newfoundland

(Strong, D. F., *et al.*) 1: 117-131

— Geochemistry of Paleozoic granitoid plutons from contrasting tectonic zones of Northeast Newfoundland

(Strong, D. F., *et al.*) 1: 145-156

nickel *see also* under economic geology under Canadian Shield; Western Australia

noble gases *see also* argon

nonmetals *see also* boron; sulfur

North America *see also* Appalachians; Atlantic Coastal Plain; Canada; Great Lakes; Great Lakes region; Mexico; Rocky Mountains

North America—stratigraphy

continental drift: Paleomagnetism of the 1180 Ma Grenvillian Umfraville gabbro, Ontario

(Symons, D. T. A.) 6: 956-962

North America—structural geology

neotectonics: Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska

(Plafker, G., *et al.*) 5: 805-816

North America—tectonophysics

plate tectonics: Grenville paleomagnetism and tectonics

(McWilliams, M. O., *et al.*) 5: 687-695

— Seismicity of western Canada

(Milne, W. G., *et al.*) 7: 1170-1193

Northern Hemisphere *see also* Arctic Ocean; Atlantic Ocean; Central America; North America; Pacific Ocean

Northwest Territories—economic geology

gold: Vein geometry and hydrostatics during Yellowknife mineralisation

(Kerrick, R., *et al.*) 10: 1653-1660

lead-zinc deposits: Cornwallis lead-zinc district; mississippi valley-type deposits controlled by stratigraphy and tectonics

(Callahan, W. H., *et al.*) 3: 459-460

Northwest Territories—engineering geology

permafrost: Frost mounds at Bear Rock, near Fort Norman, Northwest Territories, 1975-1976

(van Everdingen, R. O.) 2: 263-276

Northwest Territories—geochemistry

trace elements: Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada

(Veizer, J., *et al.*) 9: 1448-1461

Northwest Territories—geochronology

- Cretaceous*: Potassium-argon ages of intrusion and scheelite mineralization, Cantung, Tungsten, Northwest Territories (Archibald, D. A., *et al.*) 7: 1205-1207
- Quaternary*: The glacial geology of northeastern Ellesmere Island, N.W.T., Canada (England, J.) 4: 603-617

Northwest Territories—geomorphology

- changes of level*: Postglacial tilting of Akpatok Island, Northwest Territories (Loeken, O. H.) 10: 1547-1553
- glacial geology*: Nature and genesis of mudboils, central Keewatin, Canada (Shilts, W. W.) 7: 1053-1068
- Sub-pingo water lenses, Tuktoyaktuk Peninsula, Northwest Territories (Mackay, J. R.) 8: 1219-1227

Northwest Territories—geophysical surveys

- magnetotelluric surveys*: Permafrost mapping by audiofrequency magnetotellurics (Koziar, A., *et al.*) 10: 1539-1546

Northwest Territories—hydrogeology

- springs*: Frost mounds at Bear Rock, near Fort Norman, Northwest Territories, 1975-1976 (van Everdingen, R. O.) 2: 263-276

Northwest Territories—paleobotany

- palynomorphs*: Upper Silurian trilete spores and other microfossils from the Read Bay Formation, Cornwallis Island, Canadian Arctic (McGregor, D. C., *et al.*) 8: 1292-1303

Northwest Territories—paleontology

- Mollusca*: Lower Devonian Gastropoda from the Canadian Arctic Islands (Rohr, D. M., *et al.*) 8: 1228-1241
- Porifera*: A new Silurian astylospongid sponge from Baillie-Hamilton Island, Canadian Arctic Archipelago (Rigby, J. K., *et al.*) 1: 157-162

Northwest Territories—seismology

- mantle*: The identification and interpretation of upper mantle travel-time branches from measurements of $dT/d\Delta$ made on data recorded at the Yellowknife seismic array (Ram, A., *et al.*) 2: 227-236

Northwest Territories—stratigraphy

- changes of level*: The glacial geology of northeastern Ellesmere Island, N.W.T., Canada (England, J.) 4: 603-617
- Cretaceous*: Upper Cretaceous marine Teleostei from the basal Kanguk Formation, Banks Island, Northwest Territories (Wilson, M. V. H.) 11: 1799-1807
- Devonian*: A new fossil occurrence from the Vendom Fiord Formation (type area), Elles-

mere Island

(Perry, D. G.) 10: 1675-1679

Paleozoic: The Somerset Island Formation; an Upper Silurian to ?Lower Devonian intertidal/supratidal succession, Boothia Uplift region, Arctic Canada

(Miall, A. D., *et al.*) 2: 181-189

Proterozoic: Multicomponent magnetization of the Pearson Formation (Great Slave Supergroup, N.W.T.) and the Coronation Loop

(McGlynn, J. C., *et al.*) 4: 642-654

— Paleomagnetism and age of the Aston dykes and Savage Point sills of the Boothia Uplift, Canada

(Jones, D. L., *et al.*) 10: 1605-1612

Quaternary: Freshwater shelled invertebrate indicators of paleoclimate in northwestern Canada during late glacial times

(Mackay, J. R., *et al.*) 3: 461-463

Tertiary: Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data

(MacLean, B., *et al.*) 5: 773-780

Nova Scotia—environmental geology

ecology: Computer simulation and sedimentological implications of burrowing by *Axiu serratus*

(Risk, M. J., *et al.*) 8: 1370-1374

Nova Scotia—geophysical surveys

acoustical surveys: A side-scan sonar mosaic of pockmarks on the Scotian Shelf

(Josenhans, H. W., *et al.*) 5: 831-840

Nova Scotia—stratigraphy

Quaternary: Late Quaternary geological history of Mahone Bay, Nova Scotia

(Barnes, N. E., *et al.*) 4: 586-593

Nova Scotia—tectonophysics

crust: Tidal loading in Nova Scotia; results from improved ocean tide models

(Beaumont, C., *et al.*) 6: 981-993

ocean circulation *see also* under oceanography under Atlantic Ocean

Ontario—geochemistry

trace elements: Anomalous Li in Keweenaw rhyolites, Ontario

(Jackson, M. R., *et al.*) 12: 2031-2033

Ontario—geochronology

Holocene: Radiocarbon dating of Nipissing Great Lakes events near Sault Ste. Marie, Ontario

(Cowan, W. R.) 12: 2026-2030

Proterozoic: $^{40}\text{Ar}/^{39}\text{Ar}$ dating of dikes from the Frontenac Axis and implications for Grenville paleomagnetism

(Reynolds, P. H., *et al.*) 11: 1826-1832

Ontario—geomorphology

glacial geology: Mass flow deposits in a Quaternary succession near Ottawa, Canada; diagnostic criteria for subaqueous outwash

(Gadd, N. R., *et al.*) 2: 327-330

shore features: The geomorphology and origin of Point Pelee, southwestern Ontario

(Trenhaile, A. S., *et al.*) 6: 963-970

Ontario—geophysical surveys

seismic surveys: A sub-critical seismic crustal reflection survey over the Aulneau Batholith, Kenora region, Ontario

(Green, A. G., *et al.*) 2: 301-315

— The feasibility of delineating non-layered anomalous velocity zones by a combination of fan shooting and least-squares analysis

(Waboso, C. E., *et al.*) 10: 1642-1652

Ontario—hydrogeology

ground water: Response of an aquifer near Ottawa to tidal forcing and the Alaskan earthquake of 1964

(Bower, D. R., *et al.*) 3: 331-340

Ontario—mineralogy

sulfides: Framboids in Champlain Sea sediments

(Haynes, J., *et al.*) 3: 464-465

Ontario—paleontology

Coelenterata: Morphology and paleoecology of Ordovician tetradiid corals from the Manitoulin District, northern Ontario

(Copper, P., *et al.*) 12: 2006-2020

Mollusca: A coiled nautiloid preserved in life orientation from the Middle Ordovician of Ontario

(Collins, D.) 10: 1661-1664

Ontario—sedimentary petrology

sediments: Trend surface analysis of major late Wisconsinan till sheets, Brantford-Woodstock area, southern Ontario

(Cowan, W. R.) 6: 1025-1036

Ontario—stratigraphy

Ordovician: Paleogeological succession leading to a Late Ordovician biostrome on Manitoulin Island, Ontario

(Copper, P., *et al.*) 12: 1987-2001

Pleistocene: The effect of Pleistocene climatic variations on the geothermal regime in Ontario; a reassessment

(Allis, R. G.) 11: 1875-1879

— Trace fossils from late Pleistocene glacial lake sediments in southwestern Ontario, Canada

(Gibbard, P. L., *et al.*) 12: 1967-1976

Precambrian: Magnetic overprinting in the Thetford gabbro complex, Ontario

(Buchan, K. L.) 9: 1407-1421

Proterozoic: Depositional environments of a thick Proterozoic sandstone; the (Huronian) Mississagi Formation of Ontario, Canada

(Long, D. G. F.) 2: 190-206

— Huronian polar wander and paleomagnetism of the Thessalon volcanics

(Symons, D. T. A., *et al.*) 7: 1141-1150

— Paleomagnetism of the 1180 Ma Grenvillian Umfraville gabbro, Ontario

(Symons, D. T. A.) 6: 956-962

Quaternary: A Late-Quaternary pollen profile from Woodstock, Ontario

(Mott, R. J., *et al.*) 7: 1101-1111

Ontario—structural geology

deformation: Patterns of total strain in the crustal region of immature diapirs

(Schwerdtner, W. M., *et al.*) 9: 1437-1447

structural analysis: The Barnum Lake Pluton, Thunder Bay, Ontario

(Schwerdtner, W. M.) 5: 863-864

tectonics: A Huronian outlier in the Goulais River area, District of Algoma, Ontario

(Grunsky, E. C., *et al.*) 9: 1535-1537

— Structural interpretation of the Timmins mining area

(Karvinen, W. O., *et al.*) 5: 854-855

Ontario—tectonophysics

crust: Shallow crustal sounding in the Superior Province by audio frequency magnetotellurics

(Koziar, A., *et al.*) 11: 1701-1711

ophiolite *see under* ultramafic family *under* igneous rocks

Ordovician *see also under* stratigraphy *under* Massachusetts; Newfoundland; Ontario

Oregon—petrology

metamorphic rocks: Petrogenesis of spilite and keratophyre from a Permian and Triassic volcanic arc terrane, eastern Oregon and western Idaho, U.S.A.

(Vallier, T. L., *et al.*) 8: 1356-1369

orogeny *see also* geosynclines

orogeny—absolute age

Burlington Orogeny: Rb-Sr ages of silicic igneous rocks and deformation, Burlington Peninsula, Newfoundland

(Pringle, I. R.) 2: 293-300

Grenville Orogeny: $^{40}\text{Ar}/^{39}\text{Ar}$ incremental-release ages of hornblende and biotite from Grenville basement rocks within the Indian Head Range Complex, Southwest Newfoundland; their bearing on late Proterozoic-early Paleozoic thermal history

(Dallmeyer, R. D.) 8: 1374-1379

Kenoran Orogeny: Geological and geochronological relationships of the Thompson nickel belt, Manitoba

(Church, W. R., *et al.*) 8: 1381-1384

- Nagssugtoqidian Orogeny*: A 1950 ± 60 Ma Rb-Sr whole-rock isochron age from two Kangamiut dykes and the timing of the Nagssugtoqidian (Hudsonian) Orogeny in West Greenland (Kalsbeek, F., *et al.*) 7: 1122-1128
- orogeny—evolution**
Elsonian Orogeny: Elsonian magmatism in Labrador; age, characteristics and tectonic setting (Emslie, R. F.) 3: 438-453
Grenvillian Orogeny: Grenville paleomagnetism and tectonics (McWilliams, M. O., *et al.*) 5: 687-695
- orogeny—extent**
Appalachian Orogeny: The Mings Bight ophiolite complex, Newfoundland; Appalachian oceanic crust and mantle (Kidd, W. S. F., *et al.*) 5: 781-804
Hercynian Orogeny: Geophysical study of basement fractures on the western European and eastern Canadian shelves; transatlantic correlations, and late Hercynian movements (Lefort, J. P., *et al.*) 3: 397-404
- orogeny—mechanism**
Taconic Orogeny: Provenance of Ordovician deep-water sandstones, Tourelle Formation, Quebec, and implications for initiation of the Taconic Orogeny (Hiscott, R. N.) 10: 1579-1597
- oxides** *see under* minerals
- oxygen— isotopes**
O-18/O-16: The effect of Pleistocene climatic variations on the geothermal regime in Ontario; a reassessment (Allis, R. G.) 11: 1875-1879
 — The oxygen isotope composition of the surface crystalline rocks of the Canadian Shield (Shieh, Y. N., *et al.*) 11: 1773-1782
- Pacific Coast—stratigraphy**
Quaternary: Palynology of Quaternary deposits of the lower Bogachiel River area, Olympic Peninsula, Washington (Heusser, C. J.) 10: 1568-1578
- Pacific Ocean** *see also* Melanesia
- Pacific Ocean—geophysical surveys**
seismic surveys: Geophysical measurements in the region of the Explorer Ridge off western Canada (Hyndman, R. D., *et al.*) 9: 1508-1525
- Pacific Ocean—tectonophysics**
plate tectonics: Late Quaternary offsets along the Fairweather Fault and crustal plate interactions in southern Alaska (Plafker, G., *et al.*) 5: 805-816
- Pacific region—petrology**
igneous rocks: Spatial relations of andesitic and alkaline provinces in Mexico and Central America (Robin, C., *et al.*) 10: 1633-1641
- Pacific region—tectonophysics**
plate tectonics: Geophysical measurements in the region of the Explorer Ridge off western Canada (Hyndman, R. D., *et al.*) 9: 1508-1525
- Paleocene** *see also under* stratigraphy *under* Alberta; Canada
- paleoclimatology—Pleistocene**
British Columbia: Late Pleistocene stratigraphy of South-central British Columbia (Fulton, R. J., *et al.*) 6: 971-980
Ontario: The effect of Pleistocene climatic variations on the geothermal regime in Ontario; a reassessment (Allis, R. G.) 11: 1875-1879
Yukon Territory: Pleistocene grebes from the Old Crow Basin, Yukon Territory (Fitzgerald, G. R.) 12: 1887-1892
- paleoclimatology—Quaternary**
Northwest Territories: Freshwater shelled invertebrate indicators of paleoclimate in north-western Canada during late glacial times (Mackay, J. R., *et al.*) 3: 461-463
Ontario: A Late-Quaternary pollen profile from Woodstock, Ontario (Mott, R. J., *et al.*) 7: 1101-1111
Washington: Palynology of Quaternary deposits of the lower Bogachiel River area, Olympic Peninsula, Washington (Heusser, C. J.) 10: 1568-1578
Yukon Territory: A unique stratigraphic record of late Tertiary-Quaternary events in south-eastern Yukon (Klassen, R. W.) 11: 1884-1886
- paleoclimatology—temperature**
indicators: Foraminifera-mollusc associations in eastern Chaleur Bay (Schafer, C. T., *et al.*) 6: 889-901
- paleoecology—Annelida**
Ordovician: A trace fossil preserving its producer (*Trentonia shegiriana*) from the Trenton Limestone of the Quebec City area (Pickerill, R. K., *et al.*) 4: 659-664
- paleoecology—Aves**
Pleistocene: Pleistocene grebes from the Old Crow Basin, Yukon Territory (Fitzgerald, G. R.) 12: 1887-1892
- paleoecology—Brachiopoda**
Cambrian: Oldest known brachiopod burrow; the Lower Cambrian of Labrador (Pemberton, S. G., *et al.*) 8: 1385-1389

paleoecology—Coelenterata

- Ordovician*: Morphology and paleoecology of Ordovician tetradiid corals from the Manitoulin District, northern Ontario (Copper, P., *et al.*) 12: 2006-2020

paleoecology—Devonian

- Alberta*: Fore-reef carbonate mud bioherms and associated reef margin, Upper Devonian, Ancient Wall reef complex, Alberta (Mountjoy, E. W., *et al.*) 8: 1304-1325

paleoecology—ichnofossils

- Pleistocene*: Trace fossils from late Pleistocene glacial lake sediments in southwestern Ontario, Canada (Gibbard, P. L., *et al.*) 12: 1967-1976

paleoecology—indicators

- shallow-water environment*: Foraminifera-mollusc associations in eastern Chaleur Bay (Schäfer, C. T., *et al.*) 6: 889-901

paleoecology—Invertebrata

- Ordovician*: Paleoeological succession leading to a Late Ordovician biostrome on Manitoulin Island, Ontario (Copper, P., *et al.*) 12: 1987-2001

paleoecology—Paleozoic

- Northwest Territories*: Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada (Veizer, J., *et al.*) 9: 1448-1461

paleoecology—palynomorphs

- Silurian*: Upper Silurian trilete spores and other microfossils from the Read Bay Formation, Cornwallis Island, Canadian Arctic (McGregor, D. C., *et al.*) 8: 1292-1303

paleoecology—Pisces

- Cretaceous*: Upper Cretaceous marine Teleostei from the basal Kanguk Formation, Banks Island, Northwest Territories (Wilson, M. V. H.) 11: 1799-1807

paleoecology—Pleistocene

- Alberta*: Late Pleistocene Camelops from the Gallelli Pit, Calgary, Alberta; morphology and geologic setting (Wilson, M., *et al.*) 5: 729-740

paleoecology—Quaternary

- Northwest Territories*: Freshwater shelled invertebrate indicators of paleoclimate in northwestern Canada during late glacial times (Mackay, J. R., *et al.*) 3: 461-463
- Ontario*: A Late-Quaternary pollen profile from Woodstock, Ontario (Mott, R. J., *et al.*) 7: 1101-1111
- Washington*: Palynology of Quaternary deposits of the lower Bogachiel River area, Olympic Peninsula, Washington (Heusser, C. J.) 10: 1568-1578

paleoecology—Reptilia

- Cretaceous*: Paleoecology of Dinosaur Provincial Park (Cretaceous), Alberta, interpreted from the distribution of articulated vertebrate remains

(Beland, P., *et al.*) 6: 1012-1024

paleogeography—Cretaceous

- Northwest Territories*: Upper Cretaceous marine Teleostei from the basal Kanguk Formation, Banks Island, Northwest Territories (Wilson, M. V. H.) 11: 1799-1807

paleogeography—Proterozoic

- Ontario*: Depositional environments of a thick Proterozoic sandstone; the (Huronian) Mississagi Formation of Ontario, Canada (Long, D. G. F.) 2: 190-206

paleomagnetism—interpretation

- sea-floor spreading*: Rock and paleomagnetic evidence for the existence and nature of a Cayman Trough spreading center (Clark, M. J., *et al.*) 12: 1930-1940

paleomagnetism—Paleozoic

- Mauritania*: Paleomagnetism of some late Precambrian and lower Paleozoic sediments from l'Adrar de Mauritanie, West Africa (Morris, W. A., *et al.*) 2: 253-262

paleomagnetism—Pleistocene

- Western U.S.*: Compositional variability of Glacier Peak tephra and its stratigraphic significance (Westgate, J. A., *et al.*) 10: 1554-1567

paleomagnetism—pole positions

- continental drift*: Plate tectonics in the Phanerozoic (Kanasewich, E. R., *et al.*) 6: 919-955

paleomagnetism—Precambrian

- Mauritania*: Paleomagnetism of some late Precambrian and lower Paleozoic sediments from l'Adrar de Mauritanie, West Africa (Morris, W. A., *et al.*) 2: 253-262

- Ontario*: Magnetic overprinting in the Thanet gabbro complex, Ontario (Buchan, K. L.) 9: 1407-1421

paleomagnetism—Proterozoic

- Canadian Shield*: Grenville paleomagnetism and tectonics (McWilliams, M. O., *et al.*) 5: 687-695
- Labrador*: Paleomagnetic results from the Nain Anorthosite and their tectonic implications (Murthy, G. S.) 4: 516-525
- Northwest Territories*: Multicomponent magnetization of the Pearson Formation (Great Slave Supergroup, N.W.T.) and the Coronation Loop (McGlynn, J. C., *et al.*) 4: 642-654

- Paleomagnetism and age of the Aston dykes and Savage Point sills of the Boothia Uplift, Canada
(Jones, D. L., *et al.*) 10: 1605-1612
- Ontario*: Huronian polar wander and paleomagnetism of the Thessalon volcanics
(Symons, D. T. A., *et al.*) 7: 1141-1150
- Paleomagnetism of the 1180 Ma Grenvillian Umfraville gabbro, Ontario
(Symons, D. T. A.) 6: 956-962
- $^{40}\text{Ar}/^{39}\text{Ar}$ dating of dikes from the Frontenac Axis and implications for Grenville paleomagnetism
(Reynolds, P. H., *et al.*) 11: 1826-1832
- paleomagnetism—Tertiary**
Northwest Territories: Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data
(MacLean, B., *et al.*) 5: 773-780
- Paleozoic** *see also under* geochronology *under* India; Newfoundland; *see also under* stratigraphy *under* Maine; Mauritania; New Brunswick; Northwest Territories
- palynomorphs—floral studies**
Silurian: Upper Silurian trilete spores and other microfossils from the Read Bay Formation, Cornwallis Island, Canadian Arctic
(McGregor, D. C., *et al.*) 8: 1292-1303
- palynomorphs—miospores**
Cretaceous: The Cretaceous-Tertiary boundary in South-central Alberta; a reappraisal based on dinosaurian and microfloral extinctions
(Russell, D. A., *et al.*) 2: 284-292
- Quaternary*: A Late-Quaternary pollen profile from Woodstock, Ontario
(Mott, R. J., *et al.*) 7: 1101-1111
- Palynology of Quaternary deposits of the lower Bogachiel River area, Olympic Peninsula, Washington
(Heusser, C. J.) 10: 1568-1578
- periglacial features** *see under* glacial geology
- permafrost** *see also under* engineering geology *under* British Columbia; Canada; Northwest Territories
- Permian** *see also under* stratigraphy *under* British Columbia
- petroleum** *see also under* economic geology *under* Arctic region; British Columbia
- petrology—classification**
komatiite: Iron-rich basaltic komatiites in the early Precambrian Vermilion District
(Arndt, N. T., *et al.*) 5: 856-859
- petrology—igneous rocks**
ophiolite: The ophiolites of southern Quebec; oceanic crust of Betts Cove type
(Laurent, R., *et al.*) 11: 1880-1883
- Phanerozoic—stratigraphy**
continental drift: Plate tectonics in the Phanerozoic
(Kanasewich, E. R., *et al.*) 6: 919-955
- pingos** *see under* periglacial features *under* glacial geology
- Pisces—Osteichthyes**
Cretaceous: Upper Cretaceous marine Teleostei from the basal Kanguk Formation, Banks Island, Northwest Territories
(Wilson, M. V. H.) 11: 1799-1807
- Eocene*: Eohiodon woodruffi n. sp. (Teleostei, Hiodontidae), from the middle Eocene Klondike Mountain Formation near Republic, Washington
(Wilson, M. V. H.) 5: 679-686
- Plantae** *see also* algae; ichnofossils; palynomorphs
- plate tectonics** *see also under* tectonophysics *under* Appalachians; Atlantic region; British Columbia; Canada; Maine; New Brunswick; New Hebrides; Newfoundland; North America; Pacific Ocean; Pacific region
- plate tectonics—evolution**
models: Plate tectonics in the Phanerozoic
(Kanasewich, E. R., *et al.*) 6: 919-955
- plate tectonics—movement**
mechanism: On shear heating as an explanation for lithosphere-mantle decoupling
(Spanos, T. J. T., *et al.*) 8: 1284-1291
- plate tectonics—subduction**
theoretical studies: The thermal regime of the descending lithosphere; the effect of varying angle and rate of subduction
(Sydora, L. J., *et al.*) 4: 626-641
- Pleistocene** *see also under* geochronology *under* Washington; Western U.S.; *see also under* stratigraphy *under* Alberta; British Columbia; Ontario
- plutons** *see under* intrusions
- pollution** *see also under* environmental geology *under* Maritime Provinces
- polymetallic ores** *see also under* economic geology *under* Canadian Shield
- Porifera—Demosponges**
Silurian: A new Silurian astylospongid sponge from Baillie-Hamilton Island, Canadian Arctic Archipelago
(Rigby, J. K., *et al.*) 1: 157-162
- potassium—abundance**
carbonate rocks: Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada
(Veizer, J., *et al.*) 9: 1448-1461
- Precambrian** *see also under* geochronology *under* Manitoba; Montana; *see also under* stratigraphy *under* Canadian Shield; Mauritania; Ontario

Proterozoic *see also under* geochronology *under* Appalachians; Greenland; Manitoba; Newfoundland; Ontario; Saskatchewan; *see also under* stratigraphy *under* British Columbia; Canadian Shield; Labrador; Newfoundland; Northwest Territories; Ontario

quartz *see under* preferred orientation *under* structural analysis

Quaternary *see also under* geochronology *under* British Columbia; Northwest Territories; *see also under* stratigraphy *under* Northwest Territories; Nova Scotia; Ontario; Pacific Coast; Washington; Yukon Territory

Quaternary—geochronology

thermoluminescence: A thermoluminescence dating study of some Quaternary calcite; potential and problems
(Wintle, A. G.) 12: 1977-1986

Quebec—economic geology

copper: Alteration and ore-forming processes at Mattagami Lake Mine, Quebec

(Roberts, R. G., *et al.*) 1: 1-21

— Major and minor element lithogeochemical anomalies surrounding the Louvem copper deposit, Val d'Or, Quebec

(Spitz, G., *et al.*) 7: 1161-1169

metals: The geochemistry of altered volcanic rocks at Matagami, Quebec; a geothermal model for massive sulphide genesis

(MacFeehan, P. J.) 4: 551-570

zinc: Alteration and ore-forming processes at Mattagami Lake Mine, Quebec

(Roberts, R. G., *et al.*) 1: 1-21

Quebec—geochemistry

boron: Distribution of inorganic boron in the Saint Lawrence Estuary

(Pelletier, E., *et al.*) 4: 618-625

major elements: Geochemistry of suspended particulate matter in the Saguenay Fjord

(Sundby, B., *et al.*) 6: 1002-1011

Quebec—paleobotany

algae: New stromatolites from the Aphebian Mistassini Group, Quebec

(Hofmann, H. J.) 4: 571-585

Quebec—paleontology

Brachiopoda: The occurrence of the Ordovician brachiopod *Foliomena* at Perce, Quebec

(Sheehan, P. M., *et al.*) 3: 454-458

Echinodermata: The Ordovician cystoid, *Ameocystis cordiformis* Sinclair

(Broadhead, T. W.) 1: 173-174

ecology: Foraminifera-mollusc associations in eastern Chaleur Bay

(Schafer, C. T., *et al.*) 6: 889-901

ichnofossils: A trace fossil preserving its producer (*Trentonia shegiriana*) from the Trenton

Limestone of the Quebec City area

(Pickerill, R. K., *et al.*) 4: 659-664

Quebec—petrology

igneous rocks: Emplacement of Archean peridotitic komatiites in La Motte Township, Quebec

(Lajoie, J., *et al.*) 4: 672-677

— Petrography and mechanism of eruption of the Archean Dalember Tuff, Rouyn-Noranda, Quebec, Canada

(Dimroth, E., *et al.*) 11: 1712-1723

— The ophiolites of southern Quebec; oceanic crust of Betts Cove type

(Laurent, R., *et al.*) 11: 1880-1883

lava: Structure and organization of Archean subaqueous basalt flows, Rouyn-Noranda area, Quebec, Canada

(Dimroth, E., *et al.*) 6: 902-918

magmas: Magma mixing in the Flavrian Pluton, Noranda area, Quebec

(Goldie, R.) 1: 132-144

metamorphic rocks: Mineralogy and petrology of the Sokoman Iron Formation near Ardua Lake, Quebec

(Leshner, C. M.) 4: 480-500

Quebec—sedimentary petrology

sedimentary rocks: Provenance of Ordovician deep-water sandstones, Tourelle Formation, Quebec, and implications for initiation of the Taconic Orogeny

(Hiscott, R. N.) 10: 1579-1597

sedimentation: Cap des Rosiers Formation at Grosses Roches, Quebec; deposits of the mid-fan region on an Ordovician submarine fan

(Hendry, H. E.) 9: 1472-1488

— The anatomy and interpretation of an Archean volcanoclastic sequence, Noranda region, Quebec

(Tasse, N., *et al.*) 6: 874-888

Quebec—stratigraphy

changes of level: Sediments of the Rimouski shelf region, lower Saint Lawrence Estuary

(Silverberg, N.) 11: 1724-1736

Quebec—structural geology

folds: Early recumbent folds in the northeastern part of the northern Labrador Trough

(Hynes, A.) 2: 245-252

tectonics: A slice of basement in the western margin of the Appalachian Orogen, Saint-Malachie, Quebec

(Vallieres, A., *et al.*) 8: 1242-1249

radioactive dating *see* absolute age

reefs *see also under* sedimentary petrology *under* Alberta; Great Lakes region

regional geology *see* areal geology *under* the appropriate area term

remote sensing *see also* geophysical methods

Reptilia—biostratigraphy

dinosaurs: The Cretaceous-Tertiary boundary in South-central Alberta; a reappraisal based on dinosaurian and microfloral extinctions (Russell, D. A., *et al.*) 2: 284-292

Reptilia—fossilization

preservation: Paleocology of Dinosaur Provincial Park (Cretaceous), Alberta, interpreted from the distribution of articulated vertebrate remains (Beland, P., *et al.*) 6: 1012-1024

Reptilia—Ichthyopterygia

Cretaceous: An isolated ichthyosaur coracoid from the Maastrichtian of New Jersey (McGowan, C.) 1: 169-171

Reptilia—Lepidosauria

Triassic: Triassic reptile tracks in the Lepreau Formation, southern New Brunswick, Canada (Sarjeant, W. A. S., *et al.*) 4: 594-602

reservoirs—earthquakes

theoretical studies: Time evolution of stress under an artificial lake and its implication for induced seismicity (Withers, R. J., *et al.*) 9: 1526-1534

rhyolite *see under* andesite-rhyolite family *under* igneous rocks

rock mechanics—deformation

experimental studies: Mechanisms of high temperature frictional sliding in Westerly Granite (Stesky, R. M.) 3: 361-375

rock mechanics—materials, properties

basalt: Frequency spectrum of the electrical properties of seawater-saturated ocean crust and oceanic island basalts (Drury, M. J.) 9: 1489-1495

rock mechanics—techniques

graphics: Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes (Cruden, D., *et al.*) 10: 1598-1604

Rocky Mountains—economic geology

lead-zinc deposits: Carbonate-hosted lead-zinc occurrences in northeastern British Columbia with emphasis on the Robb Lake deposit (Macqueen, R. W., *et al.*) 11: 1737-1762

Rocky Mountains—stratigraphy

Devonian: Fore-reef carbonate mud bioherms and associated reef margin, Upper Devonian, Ancient Wall reef complex, Alberta (Mountjoy, E. W., *et al.*) 8: 1304-1325

rubidium—abundance

analtime: The petrogenesis and origin of the analtime in the volcanic rocks of the Crownsnest Formation, Alberta (Ferguson, L. J., *et al.*) 1: 69-77

salt tectonics—mechanism

diapirism: Patterns of total strain in the crestal region of immature diapirs (Schwerdtner, W. M., *et al.*) 9: 1437-1447

sandstone *see also under* clastic rocks *under* sedimentary rocks

Saskatchewan—geochronology

Proterozoic: Isotopic studies of ore-leads of the Circum-Kisseynew volcanic belt of Manitoba and Saskatchewan (Sangster, D. F.) 7: 1112-1121

Saskatchewan—paleontology

Mammalia: Paleocene primates from western Canada (Krause, D. W.) 8: 1250-1271

Saskatchewan—sedimentary petrology

diagenesis: The age of metasomatic anhydrite in Mississippian reservoir carbonates, southeastern Saskatchewan (Kendall, A. C., *et al.*) 3: 424-430

Saskatchewan—seismology

earthquakes: The seismotectonics of southern Saskatchewan (Horner, R. B., *et al.*) 8: 1341-1355

Saskatchewan—stratigraphy

Eocene: Rodents of the Swift Current Creek local fauna (Eocene; Uintan) of Saskatchewan (Storer, J. E.) 10: 1673-1674

schistosity *see under* style *under* foliation

Scotland—structural geology

structural analysis: A re-investigation of the orientation of quartz in a shear zone from Castell Odair, Scotland (Starkey, J., *et al.*) 4: 664-667

sea-floor spreading *see also under* tectonophysics *under* Caribbean Sea

sea water—geochemistry

boron: Distribution of inorganic boron in the Saint Lawrence Estuary (Pelletier, E., *et al.*) 4: 618-625

sedimentary petrology—techniques

sample preparation: A coring and squeezing technique for the detailed study of subsurface water chemistry (Patterson, R. J., *et al.*) 1: 162-169

sedimentary rocks *see also* sedimentary structures; sedimentation; sediments

sedimentary rocks—carbonate rocks

diagenesis: Carbonate-hosted lead-zinc occurrences in northeastern British Columbia with emphasis on the Robb Lake deposit (Macqueen, R. W., *et al.*) 11: 1737-1762

— The age of metasomatic anhydrite in Mississippian reservoir carbonates, southeastern Saskatchewan (Kendall, A. C., *et al.*) 3: 424-430

- environmental analysis*: Fore-reef carbonate mud bioherms and associated reef margin, Upper Devonian, Ancient Wall reef complex, Alberta (Mountjoy, E. W., *et al.*) 8: 1304-1325
- geochemistry*: Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada (Veizer, J., *et al.*) 9: 1448-1461
- limestone*: Simulation of limestone diagenesis; a model based on strontium depletion (Morrow, D. W., *et al.*) 3: 376-396
- Simulation of limestone diagenesis; a model based on strontium depletion (Veizer, J., *et al.*) 10: 1683-1687
- Viséan limestones from the Newfoundland shelf (Jansa, L. F., *et al.*) 9: 1422-1436
- sedimentary rocks—clastic rocks**
- distribution*: A Huronian outlier in the Goulais River area, District of Algoma, Ontario (Grunsky, E. C., *et al.*) 9: 1535-1537
- lithofacies*: Cap des Rosiers Formation at Grosses Roches, Quebec; deposits of the mid-fan region on an Ordovician submarine fan (Hendry, H. E.) 9: 1472-1488
- molasse*: Tectonic setting and syndepositional deformation of molasse and other nonmarine-paralic sedimentary basins (Miall, A. D.) 10: 1613-1632
- sandstone*: Depositional environments of a thick Proterozoic sandstone; the (Huronian) Mississagi Formation of Ontario, Canada (Long, D. G. F.) 2: 190-206
- Provenance of Ordovician deep-water sandstones, Tourelle Formation, Quebec, and implications for initiation of the Taconic Orogeny (Hiscott, R. N.) 10: 1579-1597
- sedimentary rocks—geochemistry**
- isotopes*: The oxygen isotope composition of the surface crystalline rocks of the Canadian Shield (Shieh, Y. N., *et al.*) 11: 1773-1782
- sedimentary rocks—lithofacies**
- environmental analysis*: Stratigraphy and tectonic setting of early Paleozoic sedimentary rocks of the Wirral-Big Lake area, southwestern New Brunswick and southeastern Maine (Ruitenbergh, A. A., *et al.*) 1: 22-32
- sedimentary rocks—lithostratigraphy**
- Paleozoic*: The Somerset Island Formation; an Upper Silurian to ?Lower Devonian intertidal/supratidal succession, Boothia Uplift region, Arctic Canada (Miall, A. D., *et al.*) 2: 181-189
- Proterozoic*: Aborted Proterozoic rifting in eastern Newfoundland (Strong, D. F., *et al.*) 1: 117-131
- sedimentary structures** *see also* sedimentary rocks; sediments
- sedimentary structures—biogenic structures**
- burrows*: Computer simulation and sedimentological implications of burrowing by *Axiu serratus* (Risk, M. J., *et al.*) 8: 1370-1374
- ichnofossils*: Trace fossils from late Pleistocene glacial lake sediments in southwestern Ontario, Canada (Gibbard, P. L., *et al.*) 12: 1967-1976
- stromatolites*: New stromatolites from the Aphebian Mistassini Group, Quebec (Hofmann, H. J.) 4: 571-585
- sedimentary structures—environmental analysis**
- glaciofluvial environment*: Mass flow deposits in a Quaternary succession near Ottawa, Canada; diagnostic criteria for subaqueous outwash (Gadd, N. R., *et al.*) 2: 327-330
- shallow-water environment*: The stratigraphy and depositional environment of the Aphebian Snyder Group, Labrador (Speer, J. A.) 1: 52-68
- subaqueous environment*: The anatomy and interpretation of an Archean volcanoclastic sequence, Noranda region, Quebec (Tasse, N., *et al.*) 6: 874-888
- sedimentary structures—patterns**
- pockmarks*: A side-scan sonar mosaic of pockmarks on the Scotian Shelf (Josenhans, H. W., *et al.*) 5: 831-840
- sedimentary structures—planar bedding structures**
- cross-stratification*: Depositional environments of a thick Proterozoic sandstone; the (Huronian) Mississagi Formation of Ontario, Canada (Long, D. G. F.) 2: 190-206
- laminations*: Sedimentation processes and patterns in a glacier-fed lake with low sediment input (Smith, N. D.) 5: 741-756
- sedimentary structures—turbidity current structures**
- graded bedding*: Cap des Rosiers Formation at Grosses Roches, Quebec; deposits of the mid-fan region on an Ordovician submarine fan (Hendry, H. E.) 9: 1472-1488
- sedimentation—controls**
- structural controls*: A critical appraisal of Archean basin-craton complexes (Walker, R. G.) 7: 1213-1218
- Tectonic setting and syndepositional deformation of molasse and other nonmarine-paral-

- ic sedimentary basins
(Miall, A. D.) 10: 1613-1632
- The Somerset Island Formation; an Upper Silurian to ?Lower Devonian intertidal/supratidal succession, Boothia Uplift region, Arctic Canada
(Miall, A. D., *et al.*) 2: 181-189
- sedimentation—environment**
- interpretation*: Mass flow deposits in a Quaternary succession near Ottawa, Canada; diagnostic criteria for subaqueous outwash
(Gadd, N. R., *et al.*) 2: 327-330
- reefs*: Fore-reef carbonate mud bioherms and associated reef margin, Upper Devonian, Ancient Wall reef complex, Alberta
(Mountjoy, E. W., *et al.*) 8: 1304-1325
- rivers*: Depositional environments of a thick Proterozoic sandstone; the (Huronian) Mississagi Formation of Ontario, Canada
(Long, D. G. F.) 2: 190-206
- shallow-water environment*: The stratigraphy and depositional environment of the Aphebian Snyder Group, Labrador
(Speer, J. A.) 1: 52-68
- submarine fans*: Cap des Rosiers Formation at Grosses Roches, Quebec; deposits of the mid-fan region on an Ordovician submarine fan
(Hendry, H. E.) 9: 1472-1488
- sedimentation—flow regime**
- meanders*: Mean flow structure in meanders of the Squamish River, British Columbia
(Hickin, E. J.) 11: 1833-1849
- sedimentation—processes**
- reworking*: Computer simulation and sedimentological implications of burrowing by *Axiu serratus*
(Risk, M. J., *et al.*) 8: 1370-1374
- sedimentation—provenance**
- sand*: Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins
(Higgs, R.) 11: 1850-1860
- sandstone*: Provenance of Ordovician deep-water sandstones, Tourelle Formation, Quebec, and implications for initiation of the Taconic Orogeny
(Hiscott, R. N.) 10: 1579-1597
- sedimentation—rates**
- dates*: The determination of sedimentation rates in Lake Ontario using the ^{210}Pb dating method
(Farmer, J. G.) 3: 431-437
- sedimentation—transport**
- estuaries*: Sediments of the Rimouski shelf region, lower Saint Lawrence Estuary
(Silverberg, N.) 11: 1724-1736
- lakes*: Sedimentation processes and patterns in a glacier-fed lake with low sediment input
(Smith, N. D.) 5: 741-756
- The geomorphology and origin of Point Pelee, southwestern Ontario
(Trenhaile, A. S., *et al.*) 6: 963-970
- stream transport*: On the statistics of grain size variation along a gravel river
(Church, M., *et al.*) 7: 1151-1160
- Radiocarbon dating of Nipissing Great Lakes events near Sault Ste. Marie, Ontario
(Cowan, W. R.) 12: 2026-2030
- Sediment and nutrient loadings to Lake Ontario; methodological arguments
(Church, M., *et al.*) 4: 668-671
- turbidity currents*: The anatomy and interpretation of an Archean volcanoclastic sequence, Noranda region, Quebec
(Tasse, N., *et al.*) 6: 874-888
- wind transport*: Eolian sediment transport during dust storms; Slims River valley, Yukon Territory
(Nickling, W. G.) 7: 1069-1084
- sediments** *see also* sedimentary rocks; sedimentary structures; sedimentation
- sediments—clastic sediments**
- clay*: Framboids in Champlain Sea sediments
(Haynes, J., *et al.*) 3: 464-465
- drift*: Late Pleistocene stratigraphy of South-central British Columbia
(Fulton, R. J., *et al.*) 6: 971-980
- grain size*: The geomorphology and origin of Point Pelee, southwestern Ontario
(Trenhaile, A. S., *et al.*) 6: 963-970
- gravel*: On the statistics of grain size variation along a gravel river
(Church, M., *et al.*) 7: 1151-1160
- lithostratigraphy*: A unique stratigraphic record of late Tertiary-Quaternary events in south-eastern Yukon
(Klassen, R. W.) 11: 1884-1886
- sand*: Provenance of Mesozoic and Cenozoic sediments from the Labrador and western Greenland continental margins
(Higgs, R.) 11: 1850-1860
- Sediments of the Rimouski shelf region, lower Saint Lawrence Estuary
(Silverberg, N.) 11: 1724-1736
- till*: Trend surface analysis of major late Wisconsinan till sheets, Brantford-Woodstock area, southern Ontario
(Cowan, W. R.) 6: 1025-1036
- sediments—geochemistry**
- metals*: Geochemistry of zinc, copper and lead in the sediments of the estuary and Gulf of St. Lawrence
(Loring, D. H.) 5: 757-772

sediments—lithofacies

- environmental analysis*: Mass flow deposits in a Quaternary succession near Ottawa, Canada; diagnostic criteria for subaqueous outwash (Gadd, N. R., *et al.*) 2: 327-330
 — Sedimentation processes and patterns in a glacier-fed lake with low sediment input (Smith, N. D.) 5: 741-756

sediments—pore water

- geochemistry*: A coring and squeezing technique for the detailed study of subsurface water chemistry (Patterson, R. J., *et al.*) 1: 162-169

seismic surveys *see under* geophysical surveys *under* Atlantic Ocean; Melanesia; Ontario; Pacific Ocean**seismology—crust**

- ocean floors*: Geophysical measurements in the region of the Explorer Ridge off western Canada (Hyndman, R. D., *et al.*) 9: 1508-1525

seismology—earthquakes

- seismicity*: The seismotectonics of southern Saskatchewan (Horner, R. B., *et al.*) 8: 1341-1355

seismology—mantle

- low-velocity zones*: On shear heating as an explanation for lithosphere-mantle decoupling (Spanos, T. J. T., *et al.*) 8: 1284-1291

seismology—seismicity

- reservoirs*: Time evolution of stress under an artificial lake and its implication for induced seismicity (Withers, R. J., *et al.*) 9: 1526-1534

shore features *see under* geomorphology**slope stability** *see also* geomorphology; *see also under* engineering geology *under* British Columbia**sodium—abundance**

- carbonate rocks*: Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada (Veizer, J., *et al.*) 9: 1448-1461

soil mechanics *see also* rock mechanics**Southern Hemisphere** *see also* Atlantic Ocean; Pacific Ocean**spectrometry** *see* spectroscopy**spectroscopy—methods**

- gamma-ray spectroscopy*: Determination of radioactive disequilibrium in uranium-bearing rocks (Szoghy, I. M., *et al.*) 1: 33-44

Spongiae *see* Porifera**springs** *see also* ground water; *see also under* hydrogeology *under* Northwest Territories**stromatolites** *see under* algae**strontium—abundance**

- carbonate rocks*: Paleosalinity and dolomitization of a lower Paleozoic carbonate sequence, Somerset and Prince of Wales islands, Arctic Canada

(Veizer, J., *et al.*) 9: 1448-1461

- carbonates*: Transformation of aragonite to calcite in a marine gasteropod

(Wardlaw, N., *et al.*) 11: 1861-1866

- limestone*: Simulation of limestone diagenesis; a model based on strontium depletion

(Veizer, J., *et al.*) 10: 1683-1687

strontium—geochemistry

- diagenesis*: Simulation of limestone diagenesis; a model based on strontium depletion

(Morrow, D. W., *et al.*) 3: 376-396

structural analysis *see also* folds; foliation**structural analysis—folds**

- domes*: Patterns of total strain in the crestal region of immature diapirs

(Schwerdtner, W. M., *et al.*) 9: 1437-1447

structural analysis—fractures

- shear zones*: Vein geometry and hydrostatics during Yellowknife mineralisation

(Kerrick, R., *et al.*) 10: 1653-1660

structural analysis—interpretation

- interference patterns*: Diapiric structures and regional compression in an Archean greenstone belt, Island Lake, Manitoba

(Fyson, W. K., *et al.*) 11: 1817-1825

- Early recumbent folds in the northeastern part of the northern Labrador Trough

(Hynes, A.) 2: 245-252

- Tectonic evolution of two greenstone belts from the Superior Province in Manitoba

(Park, R. G., *et al.*) 11: 1808-1816

- The structural and metamorphic history of the Taconic unconformity in western Massachusetts

(Uzuakpunwa, A. B., *et al.*) 12: 1941-1953

- petrofabrics*: A re-investigation of the orientation of quartz in a shear zone from Castell Odair, Scotland

(Starkey, J., *et al.*) 4: 664-667

- Geological and geochronological relationships of the Thompson nickel belt, Manitoba

(Church, W. R., *et al.*) 8: 1381-1384

structural analysis—preferred orientation

- plutons*: The Barnum Lake Pluton, Thunder Bay, Ontario

(Schwerdtner, W. M.) 5: 863-864

- quartz*: A demonstration of the interdependence of the degree of quartz preferred orientation and the quartz content of deformed rocks

(Starkey, J., *et al.*) 5: 841-847

- sulfides*: Sulfide fabrics in some nickel sulfide ores from Kambalda, Western Australia (Ostwald, J., *et al.*) 4: 501-515
- structural geology—methods**
statistical methods: Simple graphical methods for estimating the confidence region about the orientation of the intersection of two planes (Cruden, D., *et al.*) 10: 1598-1604
- structural petrology** *see* structural analysis
- sulfides** *see* under minerals
- sulfur—abundance**
metavolcanic rocks: The sulfur content of Archean volcanic rocks and a comparison with ocean floor basalts (Naldrett, A. J., *et al.*) 5: 715-728
- sulfur—isotopes**
S-34/S-32: A hypothesis concerning the origin of barite in Devonian carbonate rocks of northeastern British Columbia (Morrow, D. W., *et al.*) 9: 1391-1406
- sulphur** *see* Sulfur
- tectonics** *see also* faults; folds; geosynclines; orogeny; salt tectonics; structural analysis; *see also* under structural geology under Alaska; Atlantic region; British Columbia; Canadian Shield; Maine; Manitoba; New Brunswick; Newfoundland; Ontario; Quebec; Western Australia
- tephrochronology** *see* under geochronology
- Tertiary** *see also* under stratigraphy under Canada; Northwest Territories
- thermoluminescence** *see* under geochronology
- thrust faults** *see* under displacements under faults
- trace elements** *see* under geochemistry under Canada; igneous rocks; lava; metamorphic rocks; New Brunswick; Newfoundland; Northwest Territories; Ontario; *see* under mafic composition under igneous rocks; *see* under metavolcanic rocks under metamorphic rocks
- Triassic** *see also* under stratigraphy under British Columbia; New Brunswick
- tungsten** *see also* under economic geology under Canada
- turbidity current structures** *see* under sedimentary structures
- underground water** *see* ground water
- United States** *see also* the individual states and regions
- uranium** *see also* under economic geology under Canadian Shield
- uranium—analysis**
spectroscopy: Determination of radioactive disequilibrium in uranium-bearing rocks (Szogy, I. M., *et al.*) 1: 33-44
- uranium—exploration**
geophysical methods: Examples of the variability of disequilibrium and the emanation factor in some uraniferous materials (Levinson, A. A., *et al.*) 11: 1867-1871
- Utah—stratigraphy**
Eocene: Rodents of the Swift Current Creek local fauna (Eocene; Uintan) of Saskatchewan (Storer, J. E.) 10: 1673-1674
- Vertebrata** *see also* Aves; fossil man; ichnofossils; Mammalia; Pisces; Reptilia
- volcanism** *see* under volcanology
- volcanoes** *see* under volcanology
- volcanology—volcanism**
age: Isotopic studies of ore-leads of the Circum-Kisseynew volcanic belt of Manitoba and Saskatchewan (Sangster, D. F.) 7: 1112-1121
eruptions: Petrography and mechanism of eruption of the Archean Dalember Tuff, Rouyn-Noranda, Quebec, Canada (Dimroth, E., *et al.*) 11: 1712-1723
 — Tertiary basalts of western Davis Strait; bedrock core samples and geophysical data (MacLean, B., *et al.*) 5: 773-780
 — The anatomy and interpretation of an Archean volcanoclastic sequence, Noranda region, Quebec (Tasse, N., *et al.*) 6: 874-888
- volcanology—volcanoes**
British Columbia: Age of Aiyansh Volcano, British Columbia (Wuorinen, V.) 6: 1037-1038
Washington: Compositional variability of Glacier Peak tephra and its stratigraphic significance (Westgate, J. A., *et al.*) 10: 1554-1567
- Washington—geochronology**
Pleistocene: Compositional variability of Glacier Peak tephra and its stratigraphic significance (Westgate, J. A., *et al.*) 10: 1554-1567
- Washington—paleontology**
Pisces: Eohiodon woodruffi n. sp. (Teleostei, Hiodontidae), from the middle Eocene Klondike Mountain Formation near Republic, Washington (Wilson, M. V. H.) 5: 679-686
- Washington—stratigraphy**
Cretaceous: Revisions to the stratigraphy and biochronology of the Upper Cretaceous Nanaimo Group, British Columbia and Washington State (Ward, P. D.) 3: 405-423
Quaternary: Palynology of Quaternary deposits of the lower Bogachiel River area, Olympic Peninsula, Washington (Heusser, C. J.) 10: 1568-1578

well-logging—interpretation

temperature: Groundwater temperatures in the Athabasca oil sands area, Alberta
(Hackbarth, D. A.) 11: 1689-1700

Western Australia—economic geology

nickel: Sulfide fabrics in some nickel sulfide ores from Kambalda, Western Australia
(Ostwald, J., *et al.*) 4: 501-515

Western Australia—structural geology

tectonics: The structural relationship between Archean granite-greenstone terrains and late Archean mafic dikes
(Halls, H. C.) 10: 1665-1668

Western Hemisphere *see also* Atlantic Ocean; Central America; North America; Pacific Ocean

Western U.S.—geochronology

Pleistocene: Compositional variability of Glacier Peak tephra and its stratigraphic significance
(Westgate, J. A., *et al.*) 10: 1554-1567

worms—scolecodonts

Silurian: Upper Silurian trilete spores and other microfossils from the Read Bay Formation, Cornwallis Island, Canadian Arctic
(McGregor, D. C., *et al.*) 8: 1292-1303

xenoliths *see under* inclusions**Yukon Territory—geomorphology**

glacial geology: Rock glacier types and their drainage systems, Grizzly Creek, Yukon Territory
(Johnson, P. G.) 9: 1496-1507

Yukon Territory—paleontology

Aves: Pleistocene grebes from the Old Crow Basin, Yukon Territory

(Fitzgerald, G. R.) 12: 1887-1892

Mollusca: Asian freshwater mollusks from Pleistocene deposits in the Old Crow Basin, Yukon Territory

(Clarke, A. H., *et al.*) 1: 45-51

Yukon Territory—petrology

inclusions: Lherzolite nodules from a Pleistocene cinder cone in central Yukon
(Sinclair, P. D., *et al.*) 2: 220-226

Yukon Territory—sedimentary petrology

sedimentation: Eolian sediment transport during dust storms; Slims River valley, Yukon Territory
(Nickling, W. G.) 7: 1069-1084

Yukon Territory—stratigraphy

Quaternary: A unique stratigraphic record of late Tertiary-Quaternary events in southeastern Yukon
(Klassen, R. W.) 11: 1884-1886

Yukon Territory—structural geology

neotectonics: Displacement history of the Denali fault system, Alaska and Canada
(Lanphere, M. A.) 5: 817-822

zinc *see also under* economic geology *under* Quebec

zinc—abundance

sediments: Geochemistry of zinc, copper and lead in the sediments of the estuary and Gulf of St. Lawrence
(Loring, D. H.) 5: 757-772

zinc—geochemistry

diagenesis: Simulation of limestone diagenesis; a model based on strontium depletion
(Morrow, D. W., *et al.*) 3: 376-396

